



SYNAGRO

A Residuals Management Company

Biosolids Land Application Annual Report

for

Synagro of California, Inc.

1999

Synagro of California, Inc.
P.O. Box 7027
Corona, CA 92878-7027
909.277.2662

Synagro of California, Inc./Pima Gro Systems, Inc. Biosolids Land Application Annual Report for 1999

Date Submitted:

February 18, 2000

Operator Name:

Synagro of California, Inc.
10490 Dawson Canyon Road
Corona, CA 91718

Contact Persons:

Mark A. Grey, Ph.D.
Brent McManigal

Telephone Number:

909.277.2662

x15

Project Description:

Synagro applies Class B biosolids to approved agricultural fields in Riverside and Solano Counties, California. The biosolids are received from various POTW's from these regions; the POTW's certify that their biosolids meet the Class B requirement of 40 CFR 503.32 (b) and vector attraction reduction requirements in 40 CFR 503.33 (b) (1) through (8). Synagro personnel surface apply biosolids, then incorporate it into the soil within 24 hours of biosolids delivery. Before obtaining regulatory approval of the biosolids application site (site permit), Synagro staff explains to the grower the site restrictions required by the permitting agency and the U.S. EPA. In addition, Synagro staff work closely with the growers to insure that the management practices and site restriction requirements are met.

Certification:

"I certify, under penalty of law, that the management practices in 40 CFR 503.14 and the site restrictions in 40 CFR 503.32 (b) (5), have been met for each site on which bulk sewage sludge is applied. This determination has been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the management practices, site restrictions and vector attraction reduction requirements, when applicable, have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment."


Riverside County

Riverside County Direct Application Project 40 CFR 503 Certification

January 1, 1999 to December 31, 1999

Project Description: Synagro/Pima Gro Systems Inc., applies Class B biosolids to approved agricultural fields in Riverside County, California. The biosolids are received from various POTW's from the region, the POTW's have certified that their biosolids meet the Class B requirement of 40 CFR 503.32 (b) and vector attraction reduction requirements in 40 CFR 503.33 (b) (1) through (8). Synagro/Pima Gro Inc., personnel apply the biosolids directly onto the soil followed by incorporation. The incorporation is done within 24 hours of application. Prior to having land application fields permitted, Synagro/Pima Gro Systems, Inc., explain to the grower the site restrictions required by the permitting agency and the EPA. In addition, Synagro/Pima Gro's local managers work closely with the growers to insure that sound management practices are used and site restrictions met.

Certification: I certify, under penalty of law, that the requirements to obtain information in 40 CFR 503.12 (e) (2), the management practices in 40 CFR 503.14, the site restrictions in 40 CFR 503.32 (b) (5), have been met for each site for which biosolids have been applied. This determination has been made under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate information and apply biosolids. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment.


Mark A. Grey Ph.D.
Regional Technical Services Manager

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Land Application Sites--Site Locations

Field	Field Size (acres)	County	Field Location	S	T	R	LAT (d)	LAT (m)	LAT (S)	LONG (d)	LONG (m)	LONG (s)
HURD-1	160.0	Riverside	South of San Timeteo	20	2S	2W	33	58	30	117	6	45
RCH-1	44.0	Riverside	East of Palm Road, South of Diamond Valley Road	10	6S	1W	33	40	13	116	58	43
RCH-2	7.5	Riverside	East of Palm Road, South of Diamond Valley Road	10	6S	1W	33	39	55	116	58	36
RCM-1	116.0	Riverside	SE corner of State St. and Gibbel St.	33	41	46	33	41	46	116	57	50
RDB-1	110.0	Riverside	Middle West 1/2 of Section 15, T6S, R2W	15	6S	2W	33	38	5	117	4	48
RDB-2	54.0	Riverside	Middle East 1/3 of Section 22, T6S, R2W	22	6S	2W	33	38	5	117	4	55
RDB-3	119.0	Riverside	SE corner of Scott Road & Highway 79	22	6S	2W	33	38	20	117	4	50
RDB-4	196.0	Riverside	Portions of Section 26	26	6S	2W	33	38	4	117	4	4
RDB-5	120.0	Riverside	South of Scott Road	20	6S	4W	33	38	388	117	6	295
RDB-6	75.0	Riverside	Southwest corner of Auld and Leon Road.	18	7S	2W	33	34	38	117	7	13
RDB-7E	51.9	Riverside	South of Borel Road	18	7S	2W	33	34	21	117	7	35
RDB-7W	58.9	Riverside	South of Borel Road	18	7S	2W	33	33	57	117	7	15
RDB-10	45.4	Riverside	SE and NE corners of Highway 79 & Auld Road	7	7S	2W	33	34	53	117	7	55
RDB-11	40.0	Riverside	Southwest corner of Auld and Leon Road	7	7S	2W	33	34	22	117	7	21
RDB-12	50.0	Riverside	Southwest corner of Auld and Leon Road	7	7S	2W	33	34	21	117	7	35
RDB-13	137.8	Riverside	NW Corner of Scott Rd. and Highway 79	16	6S	2W	33	38	57	117	5	15
RDB-14	69.0	Riverside	SW Corner of Scott Rd. and highway 79	21	6S	2W	33	38	22	117	5	22
RDB-15	30.1	Riverside	East of the intersection Scott Rd. and highway 79	22	6S	2W	33	38	24	117	4	46
RDB-16	133.0	Riverside	Southeast corner of Craig and Eucalyptus Road.	8	6S	2W	33	39	32	117	6	22
RDB-16B	29.7	Riverside	Southeast corner of Craig and Eucalyptus Road.	8	6S	2W	33	39	32	117	6	22
RDB-16C	12.6	Riverside	Southeast corner of Craig and Eucalyptus Road.	8	6S	2W	33	39	32	117	6	22
RDB-17C	32.8	Riverside	NE 1/2, NW 12 Sec 16	16	6S	2W	33	39	276	117	6	21
RDB-17E	48.3	Riverside	NW 1/4 Sec 16	16	6S	2W	33	39	276	117	6	12
RDB-17W	103.7	Riverside	NE 1/4 Sec 17	17	6S	2W	33	39	276	117	6	75
RDB-18	36.0	Riverside	East of the Washington Road	21	6S	2W	33	37	24	117	4	49
RDB-19	2.4	Riverside	Southeast corner of Borel Rd. and Leon Rd.	8	7S	2W	33	34	18	117	7	2
RDB-20	3.9	Riverside	Northeast corner of Borel Rd. and Leon Rd.	8	7S	2W	33	34	24	117	7	2
RDB-21	58.7	Riverside	Southeast corner of Allen Rd. and Leon Rd.	8	7S	2W	33	34	32	117	7	46
RDB-22	66.9	Riverside	Northwest corner of Borel Rd. and Warren Rd.	12	7S	2W	33	34	18	117	2	8
RDB-23	133.0	Riverside	East and West of Leon Road.	5	6S	2W	33	41	7	117	7	3
RDB-24	122.3	Riverside	NE corner of Leon Rd. and Patton Rd.	32	5S	2W	33	41	46	117	7	10
RDB-25	124.1	Riverside	SE corner of Leon Rd. and Olive Rd.	32	5S	2W	33	41	10	117	7	10
RDB-26	134.5	Riverside	SE Corner of Olive and Winchester Rd.	33	5S	2W	33	41	54	117	5	36
RDB-27	80.0	Riverside	East of Highway 79	15	6S	2W	33	39	21	117	5	3

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Land Application Sites--Site Locations

Field	Field Size (acres)	County	Field Location	S	T	R	LAT (d)	LAT (m)	LAT (S)	LONG (d)	LONG (m)	LONG (s)
RDB-29	83.0	Riverside	East of Green Knolls Road	9	7S	2W	33	34	30	117	5	30
RDF-3	93.0	Riverside	East of 4th Street	4	4S	2W	33	51	35	117	5	4
RDF-4	93.0	Riverside	Portion of the N 1/2 of NE 1/4 Section 4	4	4S	2W	33	51	23	117	5	4
RDF-5	100.0	Riverside	N 1/2, SW 1/4, Section 17	17	4S	1W	33	49	26	117	0	18
RDF-6	111.0	Riverside	SW Corner of Sanderson and Ramona Expressway	17	4S	1W	33	49	12	117	4	26
RDF-7NE	26.0	Riverside	West of Bridge Street	3	4S	2W	33	50	40	117	4	12
RDF-7SE	35.3	Riverside	West of Bridge Street	3	4S	2W	33	50	23	117	4	1
RDF-8NE	35.0	Riverside	North of Marvin Road	3	4S	2W	33	50	23	117	4	1
RDF-8NW	30.6	Riverside	North of Marvin Road	3	4S	2W	33	50	23	117	4	1
RDF-9	66.7	Riverside	SE corner of Domenigoni Expressway & Highway 79	34	5S	2W	33	41	38	117	4	47
RDF-10	40.3	Riverside	NE corner of Domenigoni Expressway & Highway 79	34	5S	2W	33	41	49	117	4	47
RES-1	63.7	Riverside	South of Cactus Valley Road	11	6S	1W	33	34	22	117	7	355
RFL-1	50.0	Riverside	South of Diamond Valley	10	6S	1W	33	39	43	116	58	20
RGF-1	100.0	Riverside	West of Leon Road	31	5S	2W	33	41	45	117	7	30
RGR-1	46.0	Riverside	South of Highway 74	14	5S	2W	33	33	57	117	7	15
RGR-2	30.0	Riverside	South of Highway 74	13	5S	2W	33	44	22	117	2	44
RGR-3	52.0	Riverside	SE 1/4 of the SE 1/4 of Section 25	25	5S	2W	33	47	363	117	2	254
RGR-4	10.0	Riverside	Portion of the NE 1/4 of the NE 1/4 Section 36	36	4S	2W	33	47	113	117	2	254
RJR-1	420.0	Riverside	South and North of Nicholas Road	21	7S	2W	33	32	30	117	6	30
RJW-1	50.3	Riverside	N of Highway 79, east of Pauba Rd.	18	8S	1W	33	28	55	117	1	15
RJW-2	14.5	Riverside	N of Highway 79, east of Pauba Rd.	18	8S	1W	33	28	37	117	1	15
RJW-3	15.6	Riverside	N of Highway 79, east of Pauba Rd.	18	8S	1W	33	29	37	117	1	21
RRB-1	55.0	Riverside	North of French Valley Airport	6	7S	2W	33	35	-	117	7	30
RRB-2	20.0	Riverside	South of French Valley Airport	18	7S	2W	33	34	-	117	7	46
RRM 1-4	100.0	Riverside	NW Corner of Bridger and Fernandez Rd.	3	4S	2W	33	51	6	117	4	20
RRS-1	24.3	Riverside	East of Odel Road.	19,30	4S	1W	33	48	15	117	1	6
RRS-2	28.3	Riverside	East of Odel Road.	19,30	4S	1W	33	48	15	117	1	57
RRS-3	45.6	Riverside	East of Odel Road.	19	4S	1W	33	48	32	117	2	57

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Land Application Sites--Field Information

Field	Field Size		Irrigation Type	Crop	Plant Date	Harvest Date	Ground Water Dept	WQCB Regions	Site Restrictions Met
	Acres	Hectares							
HURD-1	160.0	64.8	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RCH-1	44.0	17.8	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RCH-2	7.5	3.0	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RCM-1	116.0	47.0	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-1	110.0	44.5	Dry Land	Wheat	Dec-99	Sum 2000	> 15 feet	9	yes
RDB-2	54.0	21.9	Dry Land	Wheat	Dec-99	Sum 2000	> 15 feet	9	yes
RDB-3	119.0	48.2	Dry Land	Wheat	Sep-99	Sum 2000	> 15 feet	9	yes
RDB-4	196.0	79.4	Dry Land	Wheat	Jan-99	Sum 1999	> 5 feet	9	yes
RDB-5	120.0	48.6	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-6	75.0	30.4	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-7E	51.9	21.0	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-7W	58.9	23.8	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-10	45.4	18.4	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-11	40.0	16.2	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-12	50.0	20.2	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-13	137.8	55.8	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-14	69.0	27.9	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-15	30.1	12.2	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-16	133.0	53.8	Sprinkler	Corn	Jan-99	Sum 1999	> 20 feet	9	yes
RDB-16B	29.7	12.0	Sprinkler	Alfalfa	Aug-99	Sum 2000	> 20 feet	9	yes
RDB-16C	12.6	5.1	Sprinkler	Alfalfa	Aug-99	Sum 2000	> 20 feet	9	yes
RDB-17C	32.8	13.3	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-17E	48.3	19.6	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-17W	103.7	42.0	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-18	36.0	14.6	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-19	2.4	1.0	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-20	3.9	1.6	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-21	58.7	23.8	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-22	66.9	27.1	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-23	133.0	53.8	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-24	122.3	49.5	Sprinkler	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Land Application Sites--Field Information

Field	Field Size		Irrigation Type	Crop	Plant Date	Harvest Date	Ground Water Dept	WQCB Regions	Site Restrictions Met
	Acres	Hectares							
RDB-25	124.1	50.2	Sprinkler	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-26	134.5	54.5	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RDB-27	80.0	32.4	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDB-29	83.0	33.6	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RDF-3	93.0	37.7	Sprinkler	Alfalfa	Oct-99	Sum 2000	> 5 feet	8	yes
RDF-5	100	40.5	Sprinkler	Alfalfa	Dec-99	Sum 2000	> 1 feet	9	yes
RDF-4	93.0	37.7	Sprinkler	Alfalfa	Oct-99	Sum 2000	> 5 feet	8	yes
RDF-6	111.0	44.9	Sprinkler	Alfalfa	Oct-99	Sum 2000	> 2 feet	7	yes
RDF-7NE	26.0	10.5	Sprinkler	Alfalfa	Oct-99	Sum 2000	> 5 feet	8	yes
RDF-7SE	35.3	14.3	Sprinkler	Alfalfa	Oct-99	Sum 2000	> 5 feet	8	yes
RDF-8NE	35.0	14.2	Sprinkler	Alfalfa	Oct-99	Sum 2000	> 5 feet	8	yes
RDF-8NW	30.6	12.4	Sprinkler	Alfalfa	Oct-99	Sum 2000	> 5 feet	8	yes
RDF-9	66.7	27.0	Dry Land	Barley	Dec-99	Sum 2000	> 2.5 feet	9	yes
RDF-10	40.3	16.3	Dry Land	Barley	Dec-99	Sum 2000	> 2.5 feet	9	yes
RES-1	63.7	25.8	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RFL-1	50.0	20.2	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RGF-1	100.0	40.5	Dry Land	Barley	Dec-99	Sum 2000	> 20 feet	8	yes
RGR-1	46.0	18.6	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RGR-2	30.0	12.1	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RGR-3	52.0	21.1	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RGR-4	10.0	4.0	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RJR-1	420.0	170.0	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RJW-1	50.3	20.4	Dry Land	Oats	Dec-99	Sum 2000	> 1 feet	9	yes
RJW-2	14.5	5.9	Dry Land	Oats	Dec-99	Sum 2000	> 1 feet	9	yes
RJW-3	15.6	6.3	Dry Land	Oats	Dec-99	Sum 2000	> 1 feet	9	yes
RRB-1	55.0	22.3	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RRB-2	20.0	8.1	Dry Land	Wheat	Dec-99	Sum 2000	> 20 feet	9	yes
RRM 1-4	100.0	40.5	Sprinkler	Wheat	Dec-99	Sum 2000	> 20 feet	8	yes
RRS-1	24.3	9.8	Sprinkler	Wheat	Dec-99	Sum 2000	> 5 feet	8	yes
RRS-2	28.3	11.5	Sprinkler	Barley	Dec-99	Sum 2000	> 5 feet	8	yes
RRS-3	45.6	18.5	Sprinkler	Wheat	Dec-99	Sum 2000	> 1 feet	8	yes

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Application Sites--Field Ownership Information

Field	Field Size (acres)	County	Property Owner	Owner Address	Owner City	Owner State	Owner Zip
HURD-1	160.0	Riverside	Gale Anne Hurd	270 N. Canon Dr., Suite 1195	Los Angeles	CA	90210
RCH-1	44.0	Riverside	Curtis Horning, Ruth Corning	P.O. Box 8186	Hemet	CA	92545
RCH-2	7.5	Riverside	Curtis Horning, Ruth Corning	P.O. Box 8186	Hemet	CA	92545
RCM-1	116.0	Riverside	McSweeney Farms	2829 South State	Hemet	CA	92543
RDB-1	110.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-2	54.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-3	119.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-4	196.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-5	120.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-6	75.0	Riverside	Alex Borel	30195 Auld Road	Murietta	CA	92563
RDB-7E	51.9	Riverside	Alex Borel	30195 Auld Road	Murietta	CA	92563
RDB-7W	58.9	Riverside	Alex Borel	30195 Auld Road	Murietta	CA	92563
RDB-10	45.4	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-11	40.0	Riverside	Ben Fleming	31851 Winchester Road	Winchester	CA	92596
RDB-12	50.0	Riverside	Ben Fleming	31851 Winchester Road	Winchester	CA	92596
RDB-13	137.8	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-14	69.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-15	30.1	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-16	133.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-16B	29.7	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-16C	12.6	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-17C	32.8	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-17E	48.3	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-17W	103.7	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-18	36.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-19	2.4	Riverside	Alex Borel	30195 Auld Road	Murieta	CA	92563
RDB-20	3.9	Riverside	Alex Borel	30195 Auld Road	Murieta	CA	92563
RDB-21	58.7	Riverside	Alex Borel	31851 Winchester Road	Winchester	CA	92596
RDB-22	66.9	Riverside	Alex Borel	31851 Winchester Road	Winchester	CA	92596
RDB-23	133.0	Riverside	Lisle Miller	31851 Winchester Road	Winchester	CA	92596
RDB-24	122.3	Riverside	Joe Miyar	31851 Winchester Road	Winchester	CA	92596

Biosolids land applied by Synagro/Pima Gro Systems Inc., Corona, CA

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Application Sites--Field Ownership Information

Field	Field Size (acres)	County	Property Owner	Owner Address	Owner City	Owner State	Owner Zip
RDB-25	124.1	Riverside	John Oostdam	31851 Winchester Road	Winchester	CA	92596
RDB-26	134.5	Riverside	Al Anderson	31851 Winchester Road	Winchester	CA	92596
RDB-27	80.0	Riverside	Nayef Muhtseb	31851 Winchester Road	Winchester	CA	92596
RDB-29	83.0	Riverside	Dave Ledbetter	31851 Winchester Road	Winchester	CA	92596
RDF-3	93.0	Riverside	Phil Troost	491 West Funk Rd.	Neuvo	CA	88253
RDF-4	93.0	Riverside	Phil Troost	491 West Funk Rd.	Neuvo	CA	88253
RDF-5	100.0	Riverside	Ruth Martin	751 Hillside Dr.	Long Beach	CA	90815
RDF-6	111.0	Riverside	Ruth Martin	751 Hillside Dr.	Long Beach	CA	90815
RDF-7NE	26.0	Riverside	Bert Verger	16777 Bundy Canyon Rd.	Escondido	CA	92025
RDF-7SE	35.3	Riverside	Bert Verger	16777 Bundy Canyon Rd.	Escondido	CA	92025
RDF-8NE	35.0	Riverside	Bert Verger	16777 Bundy Canyon Rd.	Escondido	CA	92025
RDF-8NW	30.6	Riverside	Bert Verger	16777 Bundy Canyon Rd.	Escondido	CA	92025
RDF-9	66.7	Riverside	EMWD	P.O. Box 8300	Perris	CA	92572
RDF-10	40.3	Riverside	EMWD	P.O. Box 8300	Perris	CA	92572
RES-1	63.7	Riverside	Ernest P. Swarthout	31731 Sage Rd.	Hemet	CA	92544
RFL-1	50.0	Riverside	Frank Lillo	31499 Coralee Lane	Hemet	CA	92543
RGF-1	100.0	Riverside	Elwood Grizle	29515 Leon Road	Winchester	CA	92596
RGR-1	46.0	Riverside	Don Plueger	2877 River Rd.	Corona	CA	91720
RGR-2	30.0	Riverside	Don Plueger	2877 River Rd.	Corona	CA	91720
RGR-3	52.0	Riverside	Jerry Dallape	2877 River Rd.	Corona	CA	91720
RGR-4	10.0	Riverside	Bob Nichols	1901 Mariners Dr.	Newport Beach	CA	92627
RJR-1	420.0	Riverside	Leo/Jack Roripaugh	P.O. Box 203	Temecula	CA	92589
RJW-1	50.3	Riverside	James Wilkinson	P.O. Box 37	Temecula	CA	92593
RJW-2	14.5	Riverside	James Wilkinson	P.O. Box 37	Temecula	CA	92593
RJW-3	15.6	Riverside	Ray Rich	36540 Silver Spur Rd.	Temecula	CA	92592
RRB-1	55.0	Riverside	County of Riverside	3525 14th street	Riverside	CA	92501
RRB-2	20.0	Riverside	County of Riverside	3525 14th street	Riverside	CA	92501
RRM 1-4	100.0	Riverside	Everett N. List	18875 Bridge street	Lakeview	CA	92567
RRS-1	24.3	Riverside	Randy Schweitzer	2720 Ramona Expressway	San Jacinto	CA	92582
RRS-2	28.3	Riverside	Randy Schweitzer	2720 Ramona Expressway	San Jacinto	CA	92582
RRS-3	45.6	Riverside	Randy Schweitzer	2720 Ramona Expressway	San Jacinto	CA	92582

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Application Sites--Grower Information

Field	Field Size (acres)	County	Grower	Grower Address	Grower City	Grower State	Grower Zip
HURD-1	160.0	Riverside	Gale Anne Hurd	270 N. Canon Dr., Suite 1195	Los Angeles	CA	90210
RCH-1	44.0	Riverside	Curtis Horning, Ruth Corning	P.O. Box 8186	Hemet	CA	92545
RCH-2	7.5	Riverside	Curtis Horning, Ruth Corning	P.O. Box 8186	Hemet	CA	92545
RCM-1	116.0	Riverside	McSweeney Farms	2829 South State	Hemet	CA	92543
RDB-1	110.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-2	54.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-3	119.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-4	196.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-5	120.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-6	75.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-7E	51.9	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-7W	58.9	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-10	45.4	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-11	40.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-12	50.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-13	137.8	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-14	69.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-15	30.1	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-16	133.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-16B	29.7	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-16C	12.6	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-17C	32.8	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-17E	48.3	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-17W	103.7	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-18	36.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-19	2.4	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-20	3.9	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-21	58.7	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-22	66.9	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-23	133.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-24	122.3	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Application Sites--Grower Information

Field	Field Size (acres)	County	Grower	Grower Address	Grower City	Grower State	Grower Zip
RDB-25	124.1	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-26	134.5	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-27	80.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDB-29	83.0	Riverside	Domenigoni Bros. Ranch	31851 Winchester Road	Winchester	CA	92596
RDF-3	93.0	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-4	93.0	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-5	111.0	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-6	111.0	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-7NE	26.0	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-7SE	35.3	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-8NE	35.0	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-8NW	30.6	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-9	66.7	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RDF-10	40.3	Riverside	Richard De Vuyst	29250 Lakeview Ave.	Nuevo	CA	92567
RES-1	63.7	Riverside	Ernest P. Swarthout	31731 Sage Rd.	Hemet	CA	92544
RFL-1	50.0	Riverside	Frank Lillo	31499 Coralee Lane	Hemet	CA	92543
RGF-1	100.0	Riverside	Elwood Grizle	29515 Leon Road	Winchester	CA	92596
RGR-1	46.0	Riverside	Gene Rheingans	28395 Vista Del Valle	Hemet	CA	92544
RGR-2	30.0	Riverside	Gene Rheingans	28395 Vista Del Valle	Hemet	CA	92544
RGR-3	52.0	Riverside	Gene Rheingans	28395 Vista Del Valle	Hemet	CA	92544
RGR-4	10.0	Riverside	Gene Rheingans	28395 Vista Del Valle	Hemet	CA	92544
RJR-1	420.0	Riverside	Jack Roripaugh, Domenigoni Bros.	31851 Winchester Road	Winchester	CA	92596
RJW-1	50.3	Riverside	James Wilkinson	P.O. Box 37	Temecula	CA	92593
RJW-2	14.5	Riverside	James Wilkinson	P.O. Box 37	Temecula	CA	92593
RJW-3	15.6	Riverside	James Wilkinson	P.O. Box 37	Temecula	CA	92593
RRB-1	55.0	Riverside	Ray Borel	30195 Auld Road	Murrieta	CA	92563
RRB-2	20.0	Riverside	Ray Borel	30195 Auld Road	Murrieta	CA	92563
RRM 1-4	100.0	Riverside	Robert McGinty	P.O. Box: 1090	Nuevo	CA	92567
RRS-1	24.3	Riverside	Buena Vida Ranch	2720 Ramona Expressway	San Jacinto	CA	92582
RRS-2	28.3	Riverside	Buena Vida Ranch	2720 Ramona Expressway	San Jacinto	CA	92582
RRS-3	45.6	Riverside	Buena Vida Ranch	2720 Ramona Expressway	San Jacinto	CA	92582

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Application Sites--Cumulative Loading Data

County	Field	Lifetime Loading		N Required		N Loading (1999)		Cumulative Lifetime Metal Loading (kg/ha)									
		tons/ac	Mg/ha	lbs/ac	kg/ha	lbs/ac	kg/ha	As	Cd	Cr	Cu	Pb	Hg	Mo	Ni	Se	Zn
Riverside	HURD-1	16	37	175	197	130	146	0.17	0.4	5	21	2	0.11	1.0	4	0.2	28
Riverside	RCH-1	8	17	120	135	194	218	0.09	0.2	2	14	1	0.04	0.4	2	0.1	16
Riverside	RCH-2	5	11	120	135	121	136	0.07	0.1	1	9	1	0.02	0.3	1	0.1	11
Riverside	RCM-1	5	10	120	135	123	138	0.04	0.1	1	7	1	0.03	0.2	1	0.1	9
Riverside	RDB-1	11	25	175	197	178	200	0.11	0.2	2	17	2	0.08	0.6	2	0.2	21
Riverside	RDB-2	10	23	175	197	147	165	0.11	0.2	2	18	2	0.08	0.6	3	0.2	20
Riverside	RDB-3	6	13	175	197	142	160	0.07	0.3	2	14	1	0.06	0.4	2	0.1	18
Riverside	RDB-4	6	13	175	197	149	167	0.04	0.1	1	9	1	0.04	0.3	1	0.1	11
Riverside	RDB-5	7	15	175	197	133	150	0.04	0.2	2	12	1	0.04	0.3	2	0.1	14
Riverside	RDB-6	6	13	175	197	153	172	0.04	0.1	1	5	1	0.03	0.1	1	0.1	7
Riverside	RDB-7E	5	11	175	197	161	181	0.04	0.1	1	7	1	0.03	0.2	1	0.1	13
Riverside	RDB-7W	6	13	175	197	174	195	0.06	0.2	1	10	1	0.03	0.3	1	0.1	13
Riverside	RDB-10	5	12	175	197	159	179	0.03	0.1	1	7	1	0.03	0.2	1	0.1	9
Riverside	RDB-11	5	12	175	197	160	180	0.06	0.2	1	10	1	0.03	0.3	1	0.1	13
Riverside	RDB-12	5	12	175	197	171	192	0.06	0.2	1	9	1	0.03	0.3	1	0.1	13
Riverside	RDB-13	7	15	175	197	215	241	0.06	0.2	2	12	1	0.04	0.3	1	0.1	15
Riverside	RDB-14	7	15	175	197	175	196	0.07	0.1	1	8	1	0.03	0.3	1	0.1	11
Riverside	RDB-15	6	13	175	197	159	179	0.08	0.1	1	10	1	0.03	0.3	1	0.1	12
Riverside	RDB-16	7	15	250	281	217	243	0.10	0.3	2	17	2	0.01	0.5	1	0.2	23
Riverside	RDB-16B	18	41	480	539	418	470	0.24	0.8	8	52	5	0.24	1.7	8	0.5	65
Riverside	RDB-16C	9	19	230	258	229	257	0.09	0.3	2	16	2	0.01	0.5	1	0.2	22
Riverside	RDB-17C	7	15	175	197	206	232	0.06	0.3	2	14	1	0.04	0.4	1	0.1	19
Riverside	RDB-17E	6	14	175	197	204	229	0.04	0.3	2	12	1	0.04	0.4	1	0.1	18
Riverside	RDB-17W	6	13	175	197	176	198	0.06	0.2	1	11	1	0.03	0.3	1	0.1	14
Riverside	RDB-18	5	12	175	197	158	178	0.06	0.1	1	8	1	0.02	0.3	1	0.1	10
Riverside	RDB-19	3	7	175	197	126	141	0.03	0.03	0.4	3	0.4	0.02	0.1	0.2	0.1	6
Riverside	RDB-20	4	9	175	197	150	168	0.04	0.04	1	4	1	0.02	0.2	0.2	0.1	7
Riverside	RDB-21	6	13	175	197	170	191	0.08	0.1	1	10	1	0.03	0.3	1	0.1	12
Riverside	RDB-22	5	11	175	197	153	172	0.03	0.2	1	9	1	0.03	0.2	1	0.1	12
Riverside	RDB-23	6	14	175	197	166	187	0.07	0.1	1	11	1	0.03	0.3	1	0.1	12
Riverside	RDB-24	5	11	175	197	149	167	0.04	0.2	1	9	1	0.03	0.3	1	0.1	10

Biosolids land applied by Synagro/Pima Gro Systems, Inc., Corona, CA

Synagro/Pima Gro Systems, Inc.
1999 Biosolids Application Sites--Cumulative Loading Data

County	Field	Lifetime Loading		N Required		N Loading (1999)		Cumulative Lifetime Metal Loading (kg/ha)									
		tons/ac	Mg/ha	lbs/ac	kg/ha	lbs/ac	kg/ha	As	Cd	Cr	Cu	Pb	Hg	Mo	Ni	Se	Zn
Riverside	RDB-25	4	9	175	197	115	130	0.03	0.1	1	7	1	0.03	0.2	1	0.1	8
Riverside	RDB-26	5	12	175	197	156	175	0.04	0.2	1	11	1	0.04	0.3	1	0.1	11
Riverside	RDB-27	6	14	175	197	155	174	0.07	0.1	1	11	1	0.03	0.4	1	0.1	12
Riverside	RDB-29	5	12	175	197	150	169	0.06	0.1	1	8	1	0.02	0.3	1	0.1	10
Riverside	RDF-3	24	53	480	539	304	341	0.22	0.6	7	43	4	0.22	1.7	7	0.3	44
Riverside	RDF-4	21	46	480	539	292	328	0.07	0.3	2	17	1	0.07	0.5	2	0.1	21
Riverside	RDF-5	1	2	480	539	25	28	0.01	0.02	0.2	1	0.1	0.01	0.04	0.2	0.01	2
Riverside	RDF-6	21	48	408	458	225	253	0.18	0.4	5	32	6	0.21	1.0	5	0.2	47
Riverside	RDF-7NE	15	34	480	539	214	240	0.16	0.2	3	21	2	0.11	0.6	3	0.2	27
Riverside	RDF-7SE	23	52	410	460	416	467	0.28	0.4	5	37	4	0.13	1.0	5	0.3	46
Riverside	RDF-8NE	23	51	480	539	347	390	0.20	0.6	6	39	4	0.16	1.0	6	0.3	48
Riverside	RDF-8NW	23	52	405	455	414	465	0.28	0.4	5	37	4	0.13	1.0	6	0.3	45
Riverside	RDF-9	4	9	100	112	114	128	0.03	0.2	1	8	1	0.02	0.2	1	0.1	10
Riverside	RDF-10	4	8	100	112	111	125	0.03	0.2	1	7	1	0.03	0.2	1	0.1	9
Riverside	RES-1	6	14	175	197	197	221	0.06	0.3	2	13	1	0.04	0.4	1	0.01	19
Riverside	RFL-1	5	10	120	135	117	131	0.06	0.1	1	8	1	0.02	0.3	1	0.1	9
Riverside	RGF-1	8	18	120	135	126	141	0.07	0.2	2	14	1	0.07	0.4	2	0.1	15
Riverside	RGR-1	4	10	175	197	133	149	0.04	0.2	1	8	1	0.03	0.2	1	0.1	11
Riverside	RGR-2	4	9	175	197	118	133	0.04	0.1	1	7	1	0.02	0.2	1	0.1	9
Riverside	RGR-3	6	13	175	197	183	206	0.06	0.2	1	11	1	0.03	0.3	1	0.1	15
Riverside	RGR-4	5	10	175	197	140	157	0.03	0.2	1	10	1	0.03	0.3	1	0.1	13
Riverside	RJR-1	1	3	175	197	36	40	0.01	0.02	0.2	2	0.2	0.01	0.1	0.2	0.02	2
Riverside	RJW-1	8	18	160	180	114	128	0.02	0.2	2	10	1	0.02	0.4	2	0.04	16
Riverside	RJW-2	4	10	160	180	81	91	0.01	0.1	1	6	0.5	0.02	0.2	1	0.03	9
Riverside	RJW-3	9	20	160	180	162	182	0.03	0.2	1	11	1	0.03	0.3	2	0.1	15
Riverside	RRB-1	4	8	175	197	106	119	0.03	0.1	1	5	1	0.02	0.2	1	0.04	6
Riverside	RRB-2	4	9	175	197	115	129	0.04	0.1	1	6	1	0.02	0.2	1	0.04	7
Riverside	RRM 1-4	10	22	175	197	186	209	0.08	0.3	3	18	2	0.09	0.5	2	0.1	22
Riverside	RRS-1	4	9	175	197	119	134	0.06	0.1	1	7	1	0.02	0.2	1	0.1	8
Riverside	RRS-2	12	27	150	168	89	100	0.08	0.1	2	12	1	0.04	0.5	2	0.1	15
Riverside	RRS-3	6	14	175	197	160	180	0.09	0.1	2	11	1	0.02	0.3	2	0.1	13

Biosolids land applied by Synagro/Pima Gro Systems, Inc., Corona, CA

Aliso Water Management Agency

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
6-Jan-99	6-Jan-99	AWMA	RDB-1	49.87	20.23%	10.09	2
7-Jan-99	9-Jan-99	AWMA	RDB-2	121.43	20.23%	24.57	5
11-Jan-99	15-Jan-99	AWMA	RDB-3	186.66	20.23%	37.76	8
18-Jan-99	22-Jan-99	AWMA	RGF-1	222.28	20.23%	44.97	9
28-Jan-99	30-Jan-99	AWMA	RDB-5	164.74	20.23%	33.33	7
2-Feb-99	19-Feb-99	AWMA	RDF-7	230.02	19.95%	45.89	10
11-Feb-99	17-Feb-99	AWMA	RDF-8	145.80	19.95%	29.09	6
25-Feb-99	25-Feb-99	AWMA	RDF-3	24.44	19.95%	4.88	1
26-Feb-99	26-Feb-99	AWMA	RCM-1	49.48	19.95%	9.87	2
4-Mar-99	18-Mar-99	AWMA	RCM-1	246.60	22.09%	54.47	11
23-Mar-99	31-Mar-99	AWMA	RDB-6	269.62	22.09%	59.56	11
1-Apr-99	16-Apr-99	AWMA	RDB-7W	118.80	21.55%	25.60	5
13-Apr-99	13-Apr-99	AWMA	RGR-3	20.94	21.55%	4.51	1
16-Apr-99	16-Apr-99	AWMA	RGR-1	18.49	21.55%	3.98	1
19-Apr-99	19-Apr-99	AWMA	RDB-6	43.75	21.55%	9.43	2
20-Apr-99	22-Apr-99	AWMA	RDB-12	88.34	21.55%	19.04	4
29-Apr-99	30-Apr-99	AWMA	RDB-7E	142.72	21.55%	30.76	6
1-May-99	3-May-99	AWMA	RDB-7E	92.80	20.04%	18.60	4
6-May-99	22-May-99	AWMA	RDB-16	421.47	20.04%	84.46	19
24-May-99	28-May-99	AWMA	RDB-17W	200.53	20.04%	40.19	9
1-Jun-99	1-Jun-99	AWMA	RDB-17W	22.18	19.02%	4.22	1
2-Jun-99	4-Jun-99	AWMA	RDB-17E	113.55	19.02%	21.60	5
8-Jun-99	8-Jun-99	AWMA	RGR-3	46.17	19.02%	8.78	2
19-Jun-99	19-Jun-99	AWMA	RES-1	24.31	19.02%	4.62	1
25-Jun-99	25-Jun-99	AWMA	RDB-3	71.55	19.02%	13.61	3
14-Jul-99	15-Jul-99	AWMA	RDB-16B	120.66	19.84%	23.94	5
16-Jul-99	16-Jul-99	AWMA	RDB-16C	49.41	19.84%	9.80	2
17-Jul-99	24-Jul-99	AWMA	RDB-13	375.46	19.84%	74.49	16
26-Jul-99	27-Jul-99	AWMA	RDF-6	245.79	19.84%	48.76	11
2-Aug-99	4-Aug-99	AWMA	RDB-5	190.63	19.91%	37.95	8
5-Aug-99	5-Aug-99	AWMA	RDB-22	21.28	19.91%	4.24	1
11-Aug-99	11-Aug-99	AWMA	RDB-10	23.76	19.91%	4.73	1
18-Aug-99	18-Aug-99	AWMA	HURD-1	24.36	19.91%	4.85	1
27-Aug-99	31-Aug-99	AWMA	RDF-4	180.96	19.91%	36.03	8
1-Sep-99	2-Sep-99	AWMA	RDF-3N	66.52	19.81%	13.18	3
3-Sep-99	6-Sep-99	AWMA	RDF-7NE	154.43	19.81%	30.59	7
7-Sep-99	13-Sep-99	AWMA	RDB-24	195.55	19.81%	38.74	9
16-Sep-99	15-Sep-99	AWMA	RDB-25	160.30	19.81%	31.76	7
16-Sep-99	16-Sep-99	AWMA	RDB-23	21.29	19.81%	4.22	1
24-Sep-99	27-Sep-99	AWMA	RDB-26	50.41	19.81%	9.99	3

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
28-Sep-99	30-Sep-99	AWMA	RGF	64.26	19.81%	12.73	3
1-Oct-99	2-Oct-99	AWMA	RGF	40.69	20.21%	8.22	2
4-Oct-99	6-Oct-99	AWMA	RDB-27	62.22	20.21%	12.57	3
7-Oct-99	8-Oct-99	AWMA	RCH-1	40.59	20.21%	8.20	2
11-Oct-99	11-Oct-99	AWMA	RCH-2	20.75	20.21%	4.19	1
13-Oct-99	13-Oct-99	AWMA	RFL-1	20.37	20.21%	4.12	1
14-Oct-99	19-Oct-99	AWMA	RCM-1	61.46	20.21%	12.42	3
20-Oct-99	28-Oct-99	AWMA	RDB-23	221.27	20.21%	44.72	11
29-Oct-99	30-Oct-99	AWMA	RDB-16	79.79	20.21%	16.13	4
1-Nov-99	2-Nov-99	AWMA	RDB-15	60.71	19.88%	12.07	3
3-Nov-99	3-Nov-99	AWMA	RDB-2	39.76	19.88%	7.90	2
4-Nov-99	8-Nov-99	AWMA	RDF-7SE	91.19	19.88%	18.13	5
9-Nov-99	12-Nov-99	AWMA	RDF-8NW	103.12	19.88%	20.50	5
15-Nov-99	15-Nov-99	AWMA	RRS-3	19.99	19.88%	3.97	1
19-Nov-99	19-Nov-99	AWMA	RRS-1	19.83	19.88%	3.94	1
20-Nov-99	23-Nov-99	AWMA	RDB-21	62.19	19.88%	12.36	3
26-Nov-99	26-Nov-99	AWMA	RDB-20	24.44	19.88%	4.86	1
26-Nov-99	26-Nov-99	AWMA	RDB-19	40.28	19.88%	8.01	2
27-Nov-99	30-Nov-99	AWMA	RDB-1	172.57	19.88%	34.31	8
1-Dec-99	2-Dec-99	AWMA	RDB-1	87.57	20.23%	17.72	4
3-Dec-99	9-Dec-99	AWMA	RDB-14	333.88	20.23%	67.54	15
10-Dec-99	13-Dec-99	AWMA	RDB-18	110.45	20.23%	22.34	5
15-Dec-99	21-Dec-99	AWMA	RJR-1	266.08	20.23%	53.83	12
22-Dec-99	22-Dec-99	AWMA	RRB-2	22.75	20.23%	4.60	1
22-Dec-99	24-Dec-99	AWMA	RRB-1	103.25	20.23%	20.89	5
27-Dec-99	31-Dec-99	AWMA	RDB-29	241.18	20.23%	48.79	11

TOTAL

7,428

1,502 332

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Aliso Water Management Agency	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 29201 La Paz Road	Address: PO Box 7027
City: Laguna Nigel State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: 949-489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	02	01		99	02	28

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.40	41	Monthly	Composite	EPA 6010
Cadmium	7.0	39	Monthly	Composite	EPA 6010
Copper	547	1500	Monthly	Composite	EPA 6010
Lead	55	300	Monthly	Composite	EPA 6010
Mercury	3.90	17	Monthly	Composite	EPA 7471
Nickel	79	420	Monthly	Composite	EPA 6010
Selenium	9.58	100	Monthly	Composite	EPA 6010
Zinc	753	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Aliso Water Management Agency	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 29201 La Paz Road	Address: PO Box 7027
City: Laguna Nigel State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: 949-489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	03	01		99	03	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.20	41	Monthly	Composite	EPA 6010
Cadmium	3.7	39	Monthly	Composite	EPA 6010
Copper	318	1500	Monthly	Composite	EPA 6010
Lead	43	300	Monthly	Composite	EPA 6010
Mercury	2.68	17	Monthly	Composite	EPA 7471
Nickel	26	420	Monthly	Composite	EPA 6010
Selenium	9.35	100	Monthly	Composite	EPA 6010
Zinc	629	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/2006

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: Aliso Water Management Agency				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 29201 La Paz Road				Address: PO Box 7027			
City: Laguna Nigel		State: Ca		City: Corona		State: California	
Facility Contact: Tom Rosales		Phone: 949-489-7735		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		99	04	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.67	41	Monthly	Composite	EPA 6010
Cadmium	3.5	39	Monthly	Composite	EPA 6010
Copper	335	1500	Monthly	Composite	EPA 6010
Lead	45	300	Monthly	Composite	EPA 6010
Mercury	5.13	17	Monthly	Composite	EPA 7471
Nickel	26	420	Monthly	Composite	EPA 6010
Selenium	11.28	100	Monthly	Composite	EPA 6010
Zinc	640	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Aliso Water Management Agency	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 29201 La Paz Road	Address: PO Box 7027
City: Laguna Nigel State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: 949-489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	05	01		99	05	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.83	41	Monthly	Composite	EPA 6010
Cadmium	5.3	39	Monthly	Composite	EPA 6010
Copper	372	1500	Monthly	Composite	EPA 6010
Lead	56	300	Monthly	Composite	EPA 6010
Mercury	2.71	17	Monthly	Composite	EPA 7471
Nickel	36	420	Monthly	Composite	EPA 6010
Selenium	11.86	100	Monthly	Composite	EPA 6010
Zinc	718	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: Aliso Water Management Agency				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 29201 La Paz Road				Address: PO Box 7027			
City: Laguna Nigel		State: Ca		City: Corona		State: California	
Facility Contact: Tom Rosales		Phone: 949-489-7735		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	06	01	TO	99	06	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.73	41	Monthly	Composite	EPA 6010
Cadmium	5.3	39	Monthly	Composite	EPA 6010
Copper	358	1500	Monthly	Composite	EPA 6010
Lead	42	300	Monthly	Composite	EPA 6010
Mercury	2.15	17	Monthly	Composite	EPA 7471
Nickel	28	420	Monthly	Composite	EPA 6010
Selenium	7.46	100	Monthly	Composite	EPA 6010
Zinc	643	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/2000

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Aliso Water Management Agency	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 29201 La Paz Road	Address: PO Box 7027
City: Laguna Nigel State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: 949-489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.16	41	Monthly	Composite	EPA 6010
Cadmium	5.7	39	Monthly	Composite	EPA 6010
Copper	378	1500	Monthly	Composite	EPA 6010
Lead	38	300	Monthly	Composite	EPA 6010
Mercury	2.25	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	8.06	100	Monthly	Composite	EPA 6010
Zinc	758	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Aliso Water Management Agency	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 29201 La Paz Road	Address: PO Box 7027
City: Laguna Nigel State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: 949-489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	08	01		99	08	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.68	41	Monthly	Composite	EPA 6010
Cadmium	5.3	39	Monthly	Composite	EPA 6010
Copper	404	1500	Monthly	Composite	EPA 6010
Lead	41	300	Monthly	Composite	EPA 6010
Mercury	2.04	17	Monthly	Composite	EPA 7471
Nickel	34	420	Monthly	Composite	EPA 6010
Selenium	9.15	100	Monthly	Composite	EPA 6010
Zinc	740	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Aliso Water Management Agency	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 29201 La Paz Road	Address: PO Box 7027
City: Laguna Nigel State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: 949-489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	09	01		99	09	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.75	41	Monthly	Composite	EPA 6010
Cadmium	6.2	39	Monthly	Composite	EPA 6010
Copper	432	1500	Monthly	Composite	EPA 6010
Lead	49	300	Monthly	Composite	EPA 6010
Mercury	2.09	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	9.83	100	Monthly	Composite	EPA 6010
Zinc	817	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Aliso Water Management Agency	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 29201 La Paz Road	Address: PO Box 7027
City: Laguna Nigel State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: 949-489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	10	01		99	10	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.47	41	Monthly	Composite	EPA 6010
Cadmium	5.1	39	Monthly	Composite	EPA 6010
Copper	412	1500	Monthly	Composite	EPA 6010
Lead	52	300	Monthly	Composite	EPA 6010
Mercury	2.83	17	Monthly	Composite	EPA 7471
Nickel	33	420	Monthly	Composite	EPA 6010
Selenium	8.30	100	Monthly	Composite	EPA 6010
Zinc	780	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Manager

Phone Number: (909) 277-2662

Signature: 

Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: Aliso Water Management Agency				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 29201 La Paz Road				Address: PO Box 7027			
City: Laguna Nigel		State: Ca		City: Corona		State: California	
Facility Contact: Tom Rosales		Phone: 949-489-7735		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	11	01	TO	99	11	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.05	41	Monthly	Composite	EPA 6010
Cadmium	5.8	39	Monthly	Composite	EPA 6010
Copper	429	1500	Monthly	Composite	EPA 6010
Lead	63	300	Monthly	Composite	EPA 6010
Mercury	1.97	17	Monthly	Composite	EPA 7471
Nickel	42	420	Monthly	Composite	EPA 6010
Selenium	9.44	100	Monthly	Composite	EPA 6010
Zinc	797	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: Aliso Water Management Agency				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 29201 La Paz Road				Address: PO Box 7027			
City: Laguna Nigel		State: Ca		City: Corona		State: California	
Facility Contact: Tom Rosales		Phone: 949-489-7735		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01	TO	99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.22	41	Monthly	Composite	EPA 6010
Cadmium	5.0	39	Monthly	Composite	EPA 6010
Copper	401	1500	Monthly	Composite	EPA 6010
Lead	50	300	Monthly	Composite	EPA 6010
Mercury	2.33	17	Monthly	Composite	EPA 7471
Nickel	30	420	Monthly	Composite	EPA 6010
Selenium	14.5	100	Monthly	Composite	EPA 6010
Zinc	750	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

City of Colton

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
6-Jan-99	6-Jan-99	CLTN	RDB-2	29.52	48.35%	14.27	1
6-Jan-99	6-Jan-99	CLTN	RDB-1	42.10	48.35%	20.36	2
11-Jan-99	11-Jan-99	CLTN	RDB-3	48.26	48.35%	23.33	2
16-Feb-99	16-Feb-99	CLTN	RDF-8	39.91	55.05%	21.97	2
17-Feb-99	19-Feb-99	CLTN	RDF-7	91.42	55.05%	50.33	4
5-Mar-99	5-Mar-99	CLTN	RCM-1	349.59	55.05%	192.45	14
24-Mar-99	24-Mar-99	CLTN	RDB-6	107.17	55.05%	59.00	4

TOTAL

708

382

29

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Colton	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1201 South Rancho Ave	Address: PO Box 7027
City: Colton State: CA	City: Corona State: California
Facility Contact: William Roth Phone: (909) 825-4114	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	01	01		99	01	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.02	41	Monthly	Composite	EPA 6010
Cadmium	2.0	39	Monthly	Composite	EPA 6010
Copper	442	1500	Monthly	Composite	EPA 6010
Lead	204	300	Monthly	Composite	EPA 6010
Mercury	4.11	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	4.51	100	Monthly	Composite	EPA 6010
Zinc	1070	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Colton	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1201 South Rancho Ave	Address: PO Box 7027
City: Colton State: CA	City: Corona State: California
Facility Contact: William Roth Phone: (909) 825-4114	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	02	01		99	02	28

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.28	41	Monthly	Composite	EPA 6010
Cadmium	1.0	39	Monthly	Composite	EPA 6010
Copper	291	1500	Monthly	Composite	EPA 6010
Lead	151	300	Monthly	Composite	EPA 6010
Mercury	2.84	17	Monthly	Composite	EPA 7471
Nickel	35	420	Monthly	Composite	EPA 6010
Selenium	2.71	100	Monthly	Composite	EPA 6010
Zinc	676	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

City of Corona

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
2-Sep-99	2-Sep-99	CORONA	RDF-3N	78.62	15.50%	12.19	3
3-Sep-99	4-Sep-99	CORONA	RDF-7NE	47.13	15.50%	7.31	2
3-Sep-99	3-Sep-99	CORONA	RDF-4	28.62	15.50%	4.44	1
7-Sep-99	10-Sep-99	CORONA	RDB-24	186.22	15.50%	28.86	8
15-Sep-99	15-Sep-99	CORONA	RDB-25	22.91	15.50%	3.55	1
23-Sep-99	27-Sep-99	CORONA	RDB-26	79.07	15.50%	12.26	3

TOTAL

443

69

18

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Corona	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 815 W. Sixth Street	Address: PO Box 7027
City: Corona State: CA	City: Corona State: California
Facility Contact: Mike Perales Phone: (909) 736-3665	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	09	01		99	09	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	0.45	41	Monthly	Composite	EPA 6010
Cadmium	1.41	39	Monthly	Composite	EPA 6010
Copper	66	1500	Monthly	Composite	EPA 6010
Lead	3.9	300	Monthly	Composite	EPA 6010
Mercury	ND	17	Monthly	Composite	EPA 7471
Nickel	5	420	Monthly	Composite	EPA 6010
Selenium	0.25	100	Monthly	Composite	EPA 6010
Zinc	72	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

Edwards Air Force Base

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
29-Apr-99	29-Apr-99	EAFB	RDB-7E	21.97	82.05%	18.03	1

TOTAL

22

18

1

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Edwards Air Force Base	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: Bldg. 695 South Jones Road	Address: PO Box 7027
City: Edwards AFB State: CA	City: Corona State: California
Facility Contact: Paul Widener Phone: (805) 258-7102	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		99	04	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 1)			
Arsenic	10.2	41	Monthly	Composite	EPA 6010
Cadmium	6.3	39	Monthly	Composite	EPA 6010
Copper	360	1500	Monthly	Composite	EPA 6010
Lead	18	300	Monthly	Composite	EPA 6010
Mercury	0.11	17	Monthly	Composite	EPA 7471
Nickel	16	420	Monthly	Composite	EPA 6010
Selenium	6.9	100	Monthly	Composite	EPA 6010
Zinc	2150	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

Eastern Municipal Water District—Hemet

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
5-Jan-99	6-Jan-99	HSJ	RDB-1	75.06	19.38%	14.55	3
8-Jan-99	9-Jan-99	HSJ	RDB-2	74.11	19.38%	14.36	3
13-Jan-99	15-Jan-99	HSJ	RDB-3	76.22	19.38%	14.77	3
20-Jan-99	22-Jan-99	HSJ	RGF-1	132.33	19.38%	25.65	8
28-Jan-99	29-Jan-99	HSJ	RDB-5	49.19	19.38%	9.53	3
2-Feb-99	19-Feb-99	HSJ	RDF-7	208.86	17.17%	35.86	11
12-Feb-99	16-Feb-99	HSJ	RDF-8	75.39	17.17%	12.94	4
23-Feb-99	25-Feb-99	HSJ	RDF-3	70.71	17.17%	12.14	5
2-Mar-99	19-Mar-99	HSJ	RCM-1	218.48	16.95%	37.03	10
24-Mar-99	26-Mar-99	HSJ	RDB-6	149.94	16.95%	25.41	7
1-Apr-99	17-Apr-99	HSJ	RDB-7W	92.14	17.61%	16.23	5
14-Apr-99	14-Apr-99	HSJ	RGR-3	23.26	17.61%	4.10	1
16-Apr-99	16-Apr-99	HSJ	RGR-2	21.50	17.61%	3.79	1
19-Apr-99	20-Apr-99	HSJ	RDB-6	57.37	17.61%	10.10	3
21-Apr-99	23-Apr-99	HSJ	RDB-12	44.12	17.61%	7.77	2
26-Apr-99	29-Apr-99	HSJ	RDB-11	135.80	17.61%	23.91	6
1-May-99	5-May-99	HSJ	RDB-7E	82.98	17.12%	14.21	4
6-May-99	22-May-99	HSJ	RDB-16	309.84	17.12%	53.04	14
24-May-99	26-May-99	HSJ	RDB-17W	104.25	17.12%	17.85	4
1-Jun-99	1-Jun-99	HSJ	RDB-17W	23.44	17.14%	4.02	1
8-Jun-99	9-Jun-99	HSJ	RGR-3	50.54	17.14%	8.66	3
19-Jun-99	19-Jun-99	HSJ	RES-1	19.95	17.14%	3.42	1
25-Jun-99	25-Jun-99	HSJ	RDB-3	22.45	17.14%	3.85	1
14-Jul-99	15-Jul-99	HSJ	RDB-16B	37.49	19.77%	7.41	2
16-Jul-99	16-Jul-99	HSJ	RDB-16C	22.56	19.77%	4.46	1
17-Jul-99	21-Jul-99	HSJ	RDB-13	165.26	19.77%	32.67	7
10-Dec-99	10-Dec-99	HSJ	RDB-18	18.20	19.58%	3.56	1

TOTAL

2,361.44

421.30

114

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet Address: 2270 Trumble Rd. City: Perris State: Ca Facility Contact: Anne Briggs Phone: (909) 928-3777	Facility Owner's Name: Synagro/Pima Gro Systems, Inc. Address: PO Box 7027 City: Corona State: California Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	01	01		99	01	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.48	41	Monthly	Composite	EPA 6010
Cadmium	1.0	39	Monthly	Composite	EPA 6010
Copper	527	1500	Monthly	Composite	EPA 6010
Lead	40	300	Monthly	Composite	EPA 6010
Mercury	6.98	17	Monthly	Composite	EPA 7471
Nickel	20	420	Monthly	Composite	EPA 6010
Selenium	9.52	100	Monthly	Composite	EPA 6010
Zinc	988	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	02	01		99	02	28

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.66	41	Monthly	Composite	EPA 6010
Cadmium	2.4	39	Monthly	Composite	EPA 6010
Copper	582	1500	Monthly	Composite	EPA 6010
Lead	44	300	Monthly	Composite	EPA 6010
Mercury	3.09	17	Monthly	Composite	EPA 7471
Nickel	20	420	Monthly	Composite	EPA 6010
Selenium	11.24	100	Monthly	Composite	EPA 6010
Zinc	1060	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	03	01		99	03	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.36	41	Monthly	Composite	EPA 6010
Cadmium	2.2	39	Monthly	Composite	EPA 6010
Copper	610	1500	Monthly	Composite	EPA 6010
Lead	60	300	Monthly	Composite	EPA 6010
Mercury	4.08	17	Monthly	Composite	EPA 7471
Nickel	20	420	Monthly	Composite	EPA 6010
Selenium	11.66	100	Monthly	Composite	EPA 6010
Zinc	1140	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		99	04	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.47	41	Monthly	Composite	EPA 6010
Cadmium	3.1	39	Monthly	Composite	EPA 6010
Copper	597	1500	Monthly	Composite	EPA 6010
Lead	59	300	Monthly	Composite	EPA 6010
Mercury	2.61	17	Monthly	Composite	EPA 7471
Nickel	22	420	Monthly	Composite	EPA 6010
Selenium	9.95	100	Monthly	Composite	EPA 6010
Zinc	1100	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	05	01		99	05	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.51	41	Monthly	Composite	EPA 6010
Cadmium	2.4	39	Monthly	Composite	EPA 6010
Copper	482	1500	Monthly	Composite	EPA 6010
Lead	40	300	Monthly	Composite	EPA 6010
Mercury	1.91	17	Monthly	Composite	EPA 7471
Nickel	23	420	Monthly	Composite	EPA 6010
Selenium	20.42	100	Monthly	Composite	EPA 6010
Zinc	664	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	06	01		99	06	30-

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.66	41	Monthly	Composite	EPA 6010
Cadmium	3.8	39	Monthly	Composite	EPA 6010
Copper	605	1500	Monthly	Composite	EPA 6010
Lead	56	300	Monthly	Composite	EPA 6010
Mercury	2.98	17	Monthly	Composite	EPA 7471
Nickel	26	420	Monthly	Composite	EPA 6010
Selenium	10.34	100	Monthly	Composite	EPA 6010
Zinc	1340	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.64	41	Monthly	Composite	EPA 6010
Cadmium	3.3	39	Monthly	Composite	EPA 6010
Copper	634	1500	Monthly	Composite	EPA 6010
Lead	49	300	Monthly	Composite	EPA 6010
Mercury	2.53	17	Monthly	Composite	EPA 7471
Nickel	27	420	Monthly	Composite	EPA 6010
Selenium	10.11	100	Monthly	Composite	EPA 6010
Zinc	1130	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Hemet	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.84	41	Monthly	Composite	EPA 6010
Cadmium	2.8	39	Monthly	Composite	EPA 6010
Copper	510	1500	Monthly	Composite	EPA 6010
Lead	58	300	Monthly	Composite	EPA 6010
Mercury	2.05	17	Monthly	Composite	EPA 7471
Nickel	19	420	Monthly	Composite	EPA 6010
Selenium	9.07	100	Monthly	Composite	EPA 6010
Zinc	893	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

Eastern Municipal Water District—Moreno Valley

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
1-Sep-99	3-Sep-99	MV	RDF-4	25.60	18.35%	4.70	2
1-Sep-99	2-Sep-99	MV	RDF-3N	30.40	18.35%	5.58	2
3-Sep-99	3-Sep-99	MV	RDF-7NE	12.00	18.35%	2.20	1
30-Oct-99	30-Oct-99	MV	RDB-16	47.02	17.01%	8.00	2
20-Nov-99	20-Nov-99	MV	RDB-21	24.58	15.98%	3.93	1
2-Dec-99	2-Dec-99	MV	RDB-1	25.00	15.61%	3.90	1
3-Dec-99	4-Dec-99	MV	RDB-14	48.22	15.61%	7.53	2
10-Dec-99	11-Dec-99	MV	RDB-18	45.33	15.61%	7.08	2
15-Dec-99	21-Dec-99	MV	RJR-1	104.42	15.61%	16.30	6
23-Dec-99	23-Dec-99	MV	RRB-1	20.48	15.61%	3.20	1
28-Dec-99	31-Dec-99	MV	RDB-29	74.67	15.61%	11.66	4

TOTAL

458

74

24

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Moreno Valley	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: 909-928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	10	01		99	10	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	0.56	41	Monthly	Composite	EPA 6010
Cadmium	2.3	39	Monthly	Composite	EPA 6010
Copper	381	1500	Monthly	Composite	EPA 6010
Lead	40	300	Monthly	Composite	EPA 6010
Mercury	3.67	17	Monthly	Composite	EPA 7471
Nickel	27	420	Monthly	Composite	EPA 6010
Selenium	6.54	100	Monthly	Composite	EPA 6010
Zinc	483	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: Eastern Municipal Water District—Moreno Valley				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 2270 Trumble Rd.				Address: PO Box 7027			
City: Perris		State: Ca		City: Corona		State: California	
Facility Contact: Anne Briggs		Phone: 909-928-3777		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	11	01	TO	99	11	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.84	41	Monthly	Composite	EPA 6010
Cadmium	2.1	39	Monthly	Composite	EPA 6010
Copper	367	1500	Monthly	Composite	EPA 6010
Lead	41	300	Monthly	Composite	EPA 6010
Mercury	2.52	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	2.51	100	Monthly	Composite	EPA 6010
Zinc	417	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Moreno Valley Address: 2270 Trumble Rd. City: Perris State: Ca Facility Contact: Anne Briggs Phone: 909-928-3777	Facility Owner's Name: Synagro/Pima Gro Systems, Inc. Address: PO Box 7027 City: Corona State: California Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.91	41	Monthly	Composite	EPA 6010
Cadmium	1.9	39	Monthly	Composite	EPA 6010
Copper	325	1500	Monthly	Composite	EPA 6010
Lead	39	300	Monthly	Composite	EPA 6010
Mercury	2.99	17	Monthly	Composite	EPA 7471
Nickel	27	420	Monthly	Composite	EPA 6010
Selenium	6.42	100	Monthly	Composite	EPA 6010
Zinc	375	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

Eastern Municipal Water District—Temecula

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
6-Jan-99	6-Jan-99	TMCLA	RDB-1	42.92	15.53%	6.67	2
13-Jan-99	14-Jan-99	TMCLA	RDB-3	43.31	15.53%	6.73	2
20-Jan-99	20-Jan-99	TMCLA	RGF-1	27.66	15.53%	4.30	1
4-Feb-99	4-Feb-99	TMCLA	RDF-7	25.39	18.26%	4.64	1
11-Feb-99	17-Feb-99	TMCLA	RDF-8	35.18	18.26%	6.42	2
22-Feb-99	25-Feb-99	TMCLA	RDF-3	60.23	18.26%	11.00	3
2-Mar-99	18-Mar-99	TMCLA	RCM-1	217.65	18.36%	39.96	10
22-Mar-99	31-Mar-99	TMCLA	RDB-6	120.48	18.36%	22.12	6
1-Apr-99	17-Apr-99	TMCLA	RDB-7W	74.95	17.41%	13.05	4
13-Apr-99	13-Apr-99	TMCLA	RGR-3	20.71	17.41%	3.61	1
16-Apr-99	16-Apr-99	TMCLA	RGR-1	24.63	17.41%	4.29	1
19-Apr-99	20-Apr-99	TMCLA	RDB-6	44.35	17.41%	7.72	2
21-Apr-99	22-Apr-99	TMCLA	RDB-12	42.50	17.41%	7.40	2
29-Apr-99	29-Apr-99	TMCLA	RDB-7E	18.83	17.41%	3.28	1
1-May-99	4-May-99	TMCLA	RDB-7E	74.33	18.52%	13.77	3
11-May-99	22-May-99	TMCLA	RDB-16	184.11	18.52%	34.10	8
24-May-99	28-May-99	TMCLA	RDB-17W	87.13	18.52%	16.14	4
1-Jun-99	1-Jun-99	TMCLA	RDB-17W	23.49	15.81%	3.71	1
2-Jun-99	4-Jun-99	TMCLA	RDB-17E	50.26	15.81%	7.95	2
19-Jun-99	19-Jun-99	TMCLA	RES-1	21.40	15.81%	3.38	1
14-Jul-99	15-Jul-99	TMCLA	RDB-16B	37.89	16.66%	6.31	2
16-Jul-99	16-Jul-99	TMCLA	RDB-16C	23.82	16.66%	3.97	1
17-Jul-99	24-Jul-99	TMCLA	RDB-13	175.51	16.66%	29.24	7
26-Jul-99	27-Jul-99	TMCLA	RDF-6	22.19	16.66%	3.70	1
3-Aug-99	3-Aug-99	TMCLA	RDB-5	23.41	16.37%	3.83	1
21-Dec-99	21-Dec-99	TMCLA	RJR-1	17.64	17.03%	3.00	1

TOTAL

1,540

270

70

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Temecula	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	01	01		99	01	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.25	41	Monthly	Composite	EPA 6010
Cadmium	5.0	39	Monthly	Composite	EPA 6010
Copper	324	1500	Monthly	Composite	EPA 6010
Lead	49	300	Monthly	Composite	EPA 6010
Mercury	3.38	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	9.52	100	Monthly	Composite	EPA 6010
Zinc	651	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Temecula	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	02	01		99	02	28

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.16	41	Monthly	Composite	EPA 6010
Cadmium	ND	39	Monthly	Composite	EPA 6010
Copper	417	1500	Monthly	Composite	EPA 6010
Lead	109	300	Monthly	Composite	EPA 6010
Mercury	3.16	17	Monthly	Composite	EPA 7471
Nickel	40	420	Monthly	Composite	EPA 6010
Selenium	16.97	100	Monthly	Composite	EPA 6010
Zinc	643	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Temecula	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		99	04	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.14	41	Monthly	Composite	EPA 6010
Cadmium	2.2	39	Monthly	Composite	EPA 6010
Copper	462	1500	Monthly	Composite	EPA 6010
Lead	58	300	Monthly	Composite	EPA 6010
Mercury	2.14	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	23.62	100	Monthly	Composite	EPA 6010
Zinc	678	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: Eastern Municipal Water District—Temecula				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 2270 Trumble Rd.				Address: PO Box 7027			
City: Perris		State: Ca		City: Corona		State: California	
Facility Contact: Anne Briggs		Phone: (909) 928-3777		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	05	01	TO	99	05	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.94	41	Monthly	Composite	EPA 6010
Cadmium	2.7	39	Monthly	Composite	EPA 6010
Copper	545	1500	Monthly	Composite	EPA 6010
Lead	50	300	Monthly	Composite	EPA 6010
Mercury	2.72	17	Monthly	Composite	EPA 7471
Nickel	23	420	Monthly	Composite	EPA 6010
Selenium	14.59	100	Monthly	Composite	EPA 6010
Zinc	916	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Temecula	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	06	01		99	06	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.95	41	Monthly	Composite	EPA 6010
Cadmium	2.2	39	Monthly	Composite	EPA 6010
Copper	448	1500	Monthly	Composite	EPA 6010
Lead	31	300	Monthly	Composite	EPA 6010
Mercury	2.14	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	20.71	100	Monthly	Composite	EPA 6010
Zinc	699	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/4/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Temecula	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.17	41	Monthly	Composite	EPA 6010
Cadmium	2.1	39	Monthly	Composite	EPA 6010
Copper	456	1500	Monthly	Composite	EPA 6010
Lead	31	300	Monthly	Composite	EPA 6010
Mercury	3.22	17	Monthly	Composite	EPA 7471
Nickel	44	420	Monthly	Composite	EPA 6010
Selenium	34.08	100	Monthly	Composite	EPA 6010
Zinc	732	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/4/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Temecula	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	08	01		99	08	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.50	41	Monthly	Composite	EPA 6010
Cadmium	5.8	39	Monthly	Composite	EPA 6010
Copper	403	1500	Monthly	Composite	EPA 6010
Lead	75	300	Monthly	Composite	EPA 6010
Mercury	2.90	17	Monthly	Composite	EPA 7471
Nickel	33	420	Monthly	Composite	EPA 6010
Selenium	32.59	100	Monthly	Composite	EPA 6010
Zinc	773	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Eastern Municipal Water District—Temecula	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 2270 Trumble Rd.	Address: PO Box 7027
City: Perris State: Ca	City: Corona State: California
Facility Contact: Anne Briggs Phone: (909) 928-3777	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.60	41	Monthly	Composite	EPA 6010
Cadmium	1.8	39	Monthly	Composite	EPA 6010
Copper	429	1500	Monthly	Composite	EPA 6010
Lead	34	300	Monthly	Composite	EPA 6010
Mercury	1.59	17	Monthly	Composite	EPA 7471
Nickel	24	420	Monthly	Composite	EPA 6010
Selenium	31.20	100	Monthly	Composite	EPA 6010
Zinc	582	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/4/00

City of Los Angeles--Hyperion

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
7-Apr-99	19-Apr-99	HYPER	RDB-7W	✓ 519.30	21.82%	113.31	21
8-Apr-99	16-Apr-99	HYPER	RGR-1	✓ 519.08	21.82%	113.26	21
12-Apr-99	14-Apr-99	HYPER	RGR-3	✓ 470.06	21.82%	102.57	19
14-Apr-99	15-Apr-99	HYPER	RGR-2	✓ 201.64	21.82%	44.00	8
19-Apr-99	20-Apr-99	HYPER	RDB-6	✓ 247.43	21.82%	53.99	10
20-Apr-99	22-Apr-99	HYPER	RDB-12	✓ 419.82	21.82%	91.60	17
26-Apr-99	29-Apr-99	HYPER	RDB-11	✓ 371.54	21.82%	81.07	15
29-Apr-99	30-Apr-99	HYPER	RDB-7E	✓ 99.68	21.82%	21.75	4
4-May-99	4-May-99	HYPER	RDB-7E	✓ 49.67	23.32%	11.58	2
8-May-99	22-May-99	HYPER	RDB-16	✓ 1,339.21	23.32%	312.30	54
23-May-99	31-May-99	HYPER	RDB-17W	✓ 939.84	23.32%	219.17	38
1-Jun-99	1-Jun-99	HYPER	RDB-17W	✓ 149.29	26.71%	39.88	6
2-Jun-99	7-Jun-99	HYPER	RDB-17E	✓ 545.19	26.71%	145.62	22
7-Jun-99	8-Jun-99	HYPER	RGR-3	✓ 124.13	26.71%	33.16	5
9-Jun-99	9-Jun-99	HYPER	RGR-4	✓ 100.01	26.71%	26.71	4
10-Jun-99	14-Jun-99	HYPER	RDB-17C	✓ 395.96	26.71%	105.76	16
15-Jun-99	19-Jun-99	HYPER	RES-1	✓ 887.26	26.71%	236.99	36
21-Jun-99	26-Jun-99	HYPER	RDB-3	✓ 866.91	26.71%	231.55	35
28-Jun-99	30-Jun-99	HYPER	RDF-9	✓ 298.14	26.71%	79.63	12
1-Jul-99	1-Jul-99	HYPER	RDF-9	✓ 148.15	27.55%	40.82	6
2-Jul-99	3-Jul-99	HYPER	RDF-10	✓ 328.53	27.55%	90.51	14
5-Jul-99	12-Jul-99	HYPER	RRM 1-4	✓ 843.80	27.55%	232.47	34
14-Jul-99	15-Jul-99	HYPER	RDB-16B	✓ 200.24	27.55%	55.17	8
16-Jul-99	16-Jul-99	HYPER	RDB-16C	✓ 100.79	27.55%	27.77	4
17-Jul-99	24-Jul-99	HYPER	RDB-13	✓ 1,114.21	27.55%	306.96	45
24-Jul-99	26-Jul-99	HYPER	RDF-5	✓ 50.26	27.55%	13.85	2
26-Jul-99	27-Jul-99	HYPER	RDF-6	✓ 574.67	27.55%	158.32	23
2-Aug-99	4-Aug-99	HYPER	RDB-5	✓ 326.26	26.86%	87.63	13
5-Aug-99	9-Aug-99	HYPER	RDB-22	✓ 199.88	26.86%	53.69	8
10-Aug-99	11-Aug-99	HYPER	RDB-10	✓ 249.40	26.86%	66.99	10
14-Aug-99	14-Aug-99	HYPER	RJW-3	✓ 73.85	26.86%	19.84	3
17-Aug-99	19-Aug-99	HYPER	HURD-1	✓ 380.88	26.86%	102.30	16
23-Aug-99	24-Aug-99	HYPER	RDF-8NE	✓ 175.00	26.86%	47.01	7
24-Aug-99	31-Aug-99	HYPER	RDF-4	✓ 619.21	26.86%	166.32	25
1-Sep-99	3-Sep-99	HYPER	RDF-4	✓ 223.97	27.71%	62.06	9
2-Sep-99	2-Sep-99	HYPER	RDF-3N	✓ 98.25	27.71%	27.23	4
3-Sep-99	6-Sep-99	HYPER	RDF-7NE	✓ 591.24	27.71%	163.83	24
7-Sep-99	13-Sep-99	HYPER	RDB-24	✓ 230.30	27.71%	63.82	10
13-Sep-99	15-Sep-99	HYPER	RDB-25	✓ 200.67	27.71%	55.61	8
18-Sep-99	20-Sep-99	HYPER	RDB-26	✓ 75.17	27.71%	20.83	3
2-Oct-99	7-Oct-99	HYPER	RDB-27	✓ 150.31	25.12%	37.76	6

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
2-Oct-99	2-Oct-99	HYPER	RGF	✓ 24.56	25.12%	6.17	1
8-Oct-99	12-Oct-99	HYPER	RCH-1	✓ 276.26	25.12%	69.40	11
11-Oct-99	11-Oct-99	HYPER	RCH-2	✓ 100.51	25.12%	25.25	4
13-Oct-99	13-Oct-99	HYPER	RFL-1	✓ 100.40	25.12%	25.22	4
14-Oct-99	19-Oct-99	HYPER	RCM-1	✓ 451.44	25.12%	113.40	18
29-Oct-99	30-Oct-99	HYPER	RDB-16	✓ 245.63	25.12%	61.70	10
1-Nov-99	1-Nov-99	HYPER	RDB-16	✓ 97.96	25.12%	24.61	4
1-Nov-99	2-Nov-99	HYPER	RDB-15	✓ 124.36	25.12%	31.24	5
3-Nov-99	3-Nov-99	HYPER	RDB-2	✓ 30.11	25.12%	7.56	2
5-Nov-99	9-Nov-99	HYPER	RDF-7SE	494.92	25.12%	124.32	20
9-Nov-99	9-Nov-99	HYPER	RDF-8NW	24.94	25.12%	6.26	1

✓

52

TOTAL

17,470

4,460

707

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	01	01		99	01	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.91	41	Monthly	Composite	EPA 6010
Cadmium	ND	39	Monthly	Composite	EPA 6010
Copper	659	1500	Monthly	Composite	EPA 6010
Lead	61	300	Monthly	Composite	EPA 6010
Mercury	2.5	17	Monthly	Composite	EPA 7471
Nickel	70	420	Monthly	Composite	EPA 6010
Selenium	3.45	100	Monthly	Composite	EPA 6010
Zinc	507	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	03	01		99	03	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.80	41	Monthly	Composite	EPA 6010
Cadmium	20.2	39	Monthly	Composite	EPA 6010
Copper	917	1500	Monthly	Composite	EPA 6010
Lead	72	300	Monthly	Composite	EPA 6010
Mercury	5.57	17	Monthly	Composite	EPA 7471
Nickel	69	420	Monthly	Composite	EPA 6010
Selenium	7.31	100	Monthly	Composite	EPA 6010
Zinc	1110	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: City of Los Angeles—Hyperion Treatment Plant				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 433 South Spring Street, 5 th Floor				Address: PO Box 7027			
City: Los Angeles		State: Ca		City: Corona		State: California	
Facility Contact: Lupe Ma Vela		Phone: 310-648-5362		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		TO	99	04

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.55	41	Monthly	Composite	EPA 6010
Cadmium	24.9	39	Monthly	Composite	EPA 6010
Copper	1050	1500	Monthly	Composite	EPA 6010
Lead	100	300	Monthly	Composite	EPA 6010
Mercury	3.13	17	Monthly	Composite	EPA 7471
Nickel	83	420	Monthly	Composite	EPA 6010
Selenium	7.34	100	Monthly	Composite	EPA 6010
Zinc	1290	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	05	01		99	05	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.61	41	Monthly	Composite	EPA 6010
Cadmium	19.5	39	Monthly	Composite	EPA 6010
Copper	855	1500	Monthly	Composite	EPA 6010
Lead	72	300	Monthly	Composite	EPA 6010
Mercury	1.90	17	Monthly	Composite	EPA 7471
Nickel	96	420	Monthly	Composite	EPA 6010
Selenium	6.16	100	Monthly	Composite	EPA 6010
Zinc	896	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: <i>2/7/00</i>

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	06	01		99	06	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.63	41	Monthly	Composite	EPA 6010
Cadmium	19.5	39	Monthly	Composite	EPA 6010
Copper	934	1500	Monthly	Composite	EPA 6010
Lead	71	300	Monthly	Composite	EPA 6010
Mercury	3.06	17	Monthly	Composite	EPA 7471
Nickel	90	420	Monthly	Composite	EPA 6010
Selenium	6.44	100	Monthly	Composite	EPA 6010
Zinc	1340	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.45	41	Monthly	Composite	EPA 6010
Cadmium	23.2	39	Monthly	Composite	EPA 6010
Copper	976	1500	Monthly	Composite	EPA 6010
Lead	65	300	Monthly	Composite	EPA 6010
Mercury	4.49	17	Monthly	Composite	EPA 7471
Nickel	105	420	Monthly	Composite	EPA 6010
Selenium	6.93	100	Monthly	Composite	EPA 6010
Zinc	1190	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	08	01		99	08	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.65	41	Monthly	Composite	EPA 6010
Cadmium	21.6	39	Monthly	Composite	EPA 6010
Copper	1060	1500	Monthly	Composite	EPA 6010
Lead	72	300	Monthly	Composite	EPA 6010
Mercury	2.79	17	Monthly	Composite	EPA 7471
Nickel	113	420	Monthly	Composite	EPA 6010
Selenium	6.84	100	Monthly	Composite	EPA 6010
Zinc	1350	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	09	01		99	09	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.96	41	Monthly	Composite	EPA 6010
Cadmium	2.3	39	Monthly	Composite	EPA 6010
Copper	407	1500	Monthly	Composite	EPA 6010
Lead	40	300	Monthly	Composite	EPA 6010
Mercury	4.90	17	Monthly	Composite	EPA 7471
Nickel	24	420	Monthly	Composite	EPA 6010
Selenium	7.67	100	Monthly	Composite	EPA 6010
Zinc	502	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of Los Angeles—Hyperion Treatment Plant	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 433 South Spring Street, 5 th Floor	Address: PO Box 7027
City: Los Angeles State: Ca	City: Corona State: California
Facility Contact: Lupe Ma Vela Phone: 310-648-5362	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	10	01		99	10	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	6.40	41	Monthly	Composite	EPA 6010
Cadmium	15.1	39	Monthly	Composite	EPA 6010
Copper	967	1500	Monthly	Composite	EPA 6010
Lead	84	300	Monthly	Composite	EPA 6010
Mercury	2.74	17	Monthly	Composite	EPA 7471
Nickel	121	420	Monthly	Composite	EPA 6010
Selenium	5.82	100	Monthly	Composite	EPA 6010
Zinc	1090	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

McCain Valley Conservation Camp

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
27-May-99	28-May-99	McCAIN	RDB-17W	42.12	86.92%	36.61	2
1-Jun-99	1-Jun-99	McCAIN	RDB-17W	19.89	87.50%	17.40	1
2-Jun-99	7-Jun-99	McCAIN	RDB-17E	65.80	87.50%	57.58	3
15-Jun-99	18-Jun-99	McCAIN	RES-1	80.97	87.50%	70.85	4

TOTAL

209

182

10

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: McCain Valley Conservation Camp #21	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: PO Box 1252	Address: PO Box 7027
City: Boulevard State: CA	City: Corona State: California
Facility Contact: Keith Blake Phone: (619) 766-4393	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	05	01		99	05	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 1)			
Arsenic	ND	41	Monthly	Composite	EPA 6010
Cadmium	1.0	39	Monthly	Composite	EPA 6010
Copper	64	1500	Monthly	Composite	EPA 6010
Lead	23	300	Monthly	Composite	EPA 6010
Mercury	0.19	17	Monthly	Composite	EPA 7471
Nickel	30	420	Monthly	Composite	EPA 6010
Selenium	1.4	100	Monthly	Composite	EPA 6010
Zinc	155	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: McCain Valley Conservation Camp #21				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: PO Box 1252				Address: PO Box 7027			
City: Boulevard		State: CA		City: Corona		State: California	
Facility Contact: Keith Blake		Phone: (619) 766-4393		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	06	01		99	06	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 1)			
Arsenic	0.47	41	Monthly	Composite	EPA 6010
Cadmium	1.2	39	Monthly	Composite	EPA 6010
Copper	29	1500	Monthly	Composite	EPA 6010
Lead	25	300	Monthly	Composite	EPA 6010
Mercury	ND	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	0.5	100	Monthly	Composite	EPA 6010
Zinc	173	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Mission Springs Water District

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
3-Dec-99	4-Dec-99	MS	RDB-14	92.91	95.92%	89.12	4

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Mission Springs Water District Address: 66575 Second Street City: Desert Hot Springs State: Ca Facility Contact: Gary Brockman Phone: 760-329-6448	Facility Owner's Name: Synagro/Pima Gro Systems, Inc. Address: PO Box 7027 City: Corona State: California Phone: (909) 277-2662 Zip: 91718


MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.25	41	Monthly	Composite	EPA 6010
Cadmium	1.0	39	Monthly	Composite	EPA 6010
Copper	104	1500	Monthly	Composite	EPA 6010
Lead	21	300	Monthly	Composite	EPA 6010
Mercury	1.29	17	Monthly	Composite	EPA 7471
Nickel	24	420	Monthly	Composite	EPA 6010
Selenium	3.20	100	Monthly	Composite	EPA 6010
Zinc	171	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Manager	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

City of San Bernardino

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
5-Apr-99	17-Apr-99	SB	RDB-7W	376.53	15.67%	59.00	15
8-Apr-99	16-Apr-99	SB	RGR-1	277.93	15.67%	43.55	11
10-Apr-99	15-Apr-99	SB	RGR-2	251.70	15.67%	39.44	10
13-Apr-99	14-Apr-99	SB	RGR-3	253.92	15.67%	39.79	10
19-Apr-99	19-Apr-99	SB	RDB-6	25.86	15.67%	4.05	1
20-Apr-99	24-Apr-99	SB	RDB-12	552.57	15.67%	86.59	22
26-Apr-99	28-Apr-99	SB	RDB-11	357.51	15.67%	56.02	14
29-Apr-99	30-Apr-99	SB	RDB-7E	99.95	15.67%	15.66	4
1-May-99	5-May-99	SB	RDB-7E	326.21	16.84%	54.93	13
6-May-99	22-May-99	SB	RDB-16	1,451.53	16.84%	244.44	59
24-May-99	31-May-99	SB	RDB-17W	534.75	16.84%	90.05	22
1-Jun-99	1-Jun-99	SB	RDB-17W	74.51	23.61%	17.59	3
2-Jun-99	7-Jun-99	SB	RDB-17E	312.99	23.61%	73.90	13
7-Jun-99	9-Jun-99	SB	RGR-3	218.27	23.61%	51.53	9
9-Jun-99	9-Jun-99	SB	RGR-4	25.62	23.61%	6.05	1
10-Jun-99	14-Jun-99	SB	RDB-17C	319.67	23.61%	75.47	13
15-Jun-99	19-Jun-99	SB	RES-1	416.05	23.61%	98.23	17
21-Jun-99	26-Jun-99	SB	RDB-3	519.29	23.61%	122.60	21
28-Jun-99	30-Jun-99	SB	RDF-9	222.08	23.61%	52.43	9
1-Jul-99	3-Jul-99	SB	RDF-10	146.21	17.33%	25.34	6
6-Jul-99	12-Jul-99	SB	RRM 1-4	569.28	17.33%	98.66	23
13-Jul-99	15-Jul-99	SB	RDB-16B	197.39	17.33%	34.21	8
16-Jul-99	16-Jul-99	SB	RDB-16C	72.50	17.33%	12.56	3
17-Jul-99	24-Jul-99	SB	RDB-13	530.69	17.33%	91.97	22
25-Jul-99	26-Jul-99	SB	RDF-5	146.39	17.33%	25.37	6
26-Jul-99	30-Jul-99	SB	RDF-6	319.85	17.33%	55.43	13
3-Aug-99	4-Aug-99	SB	RDB-5	122.63	20.86%	25.58	5
5-Aug-99	9-Aug-99	SB	RDB-22	357.21	20.86%	74.51	16
10-Aug-99	11-Aug-99	SB	RDB-10	124.23	20.86%	25.91	5
12-Aug-99	12-Aug-99	SB	RJW-1	91.92	20.86%	19.17	4
13-Aug-99	16-Aug-99	SB	RJW-2	86.17	20.86%	17.98	4
14-Aug-99	14-Aug-99	SB	RJW-3	48.58	20.86%	10.13	2
16-Aug-99	19-Aug-99	SB	HURD-1	219.44	20.86%	45.78	10
23-Aug-99	23-Aug-99	SB	RDF-8NE	60.95	20.86%	12.71	3
24-Aug-99	31-Aug-99	SB	RDF-4	474.82	20.86%	99.05	21
1-Sep-99	2-Sep-99	SB	RDF-3N	236.10	22.28%	52.60	10
3-Sep-99	6-Sep-99	SB	RDF-7NE	322.47	22.28%	71.85	13
7-Sep-99	11-Sep-99	SB	RDB-24	481.14	22.28%	107.20	21
13-Sep-99	15-Sep-99	SB	RDB-25	259.60	22.28%	57.84	11
17-Sep-99	27-Sep-99	SB	RDB-26	650.63	22.28%	144.96	27
29-Sep-99	30-Sep-99	SB	RGF	216.73	22.28%	48.29	9

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
1-Oct-99	2-Oct-99	SB	RGF	97.83	21.98%	21.50	4
2-Oct-99	7-Oct-99	SB	RDB-27	259.41	21.98%	57.02	11
7-Oct-99	12-Oct-99	SB	RCH-1	197.59	21.98%	43.43	8
12-Oct-99	13-Oct-99	SB	RFL-1	154.43	21.98%	33.94	6
14-Oct-99	19-Oct-99	SB	RCM-1	331.52	21.98%	72.87	14
20-Oct-99	28-Oct-99	SB	RDB-23	604.17	21.98%	132.80	26
29-Oct-99	30-Oct-99	SB	RDB-16	65.79	21.98%	14.46	3
1-Nov-99	1-Nov-99	SB	RDB-16	22.92	15.92%	3.65	1
1-Nov-99	2-Nov-99	SB	RDB-15	119.12	15.92%	18.96	5
2-Nov-99	3-Nov-99	SB	RDB-2	158.33	15.92%	25.21	6
4-Nov-99	8-Nov-99	SB	RDF-7SE	219.31	15.92%	34.91	9
9-Nov-99	11-Nov-99	SB	RDF-8NW	266.55	15.92%	42.43	11
15-Nov-99	17-Nov-99	SB	RRS-3	151.61	15.92%	24.14	6
16-Nov-99	19-Nov-99	SB	RRS-1	74.33	15.92%	11.83	3
18-Nov-99	18-Nov-99	SB	RRS-2	50.11	15.92%	7.98	2
19-Nov-99	23-Nov-99	SB	RDB-21	260.29	15.92%	41.44	11
26-Nov-99	26-Nov-99	SB	RDB-20	41.03	15.92%	6.53	2
29-Nov-99	30-Nov-99	SB	RDB-1	130.43	15.92%	20.76	5
1-Dec-99	2-Dec-99	SB	RDB-1	233.07	15.86%	36.96	9
4-Dec-99	9-Dec-99	SB	RDB-14	430.65	15.86%	68.30	17
10-Dec-99	11-Dec-99	SB	RDB-18	148.92	15.86%	23.62	6
15-Dec-99	21-Dec-99	SB	RJR-1	602.25	15.86%	95.52	25
22-Dec-99	22-Dec-99	SB	RRB-2	142.90	15.86%	22.66	6
23-Dec-99	24-Dec-99	SB	RRB-1	200.71	15.86%	31.83	8

TOTAL

17,315

3,281

713

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of San Bernardino Municipal Water Department	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 300 North D Street	Address: PO Box 7027
City: San Bernardino State: Ca	City: Corona State: California
Facility Contact: Richard Casas Phone: (909) 384-5141	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		99	04	30

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.81	41	Monthly	Composite	EPA 6010
Cadmium	3.6	39	Monthly	Composite	EPA 6010
Copper	592	1500	Monthly	Composite	EPA 6010
Lead	69	300	Monthly	Composite	EPA 6010
Mercury	2.93	17	Monthly	Composite	EPA 7471
Nickel	26	420	Monthly	Composite	EPA 6010
Selenium	5.22	100	Monthly	Composite	EPA 6010
Zinc	944	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: City of San Bernardino Municipal Water Department				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 300 North D Street				Address: PO Box 7027			
City: San Bernardino		State: Ca		City: Corona		State: California	
Facility Contact: Richard Casas		Phone: (909) 384-5141		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	05	01		99	05	31

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.93	41	Monthly	Composite	EPA 6010
Cadmium	3.4	39	Monthly	Composite	EPA 6010
Copper	554	1500	Monthly	Composite	EPA 6010
Lead	65	300	Monthly	Composite	EPA 6010
Mercury	2.65	17	Monthly	Composite	EPA 7471
Nickel	23	420	Monthly	Composite	EPA 6010
Selenium	4.51	100	Monthly	Composite	EPA 6010
Zinc	915	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: City of San Bernardino Municipal Water Department				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 300 North D Street				Address: PO Box 7027			
City: San Bernardino		State: Ca		City: Corona		State: California	
Facility Contact: Richard Casas		Phone: (909) 384-5141		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	06	01		99	06	30

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.59	41	Monthly	Composite	EPA 6010
Cadmium	23.3	39	Monthly	Composite	EPA 6010
Copper	931	1500	Monthly	Composite	EPA 6010
Lead	66	300	Monthly	Composite	EPA 6010
Mercury	3.12	17	Monthly	Composite	EPA 7471
Nickel	88	420	Monthly	Composite	EPA 6010
Selenium	6.23	100	Monthly	Composite	EPA 6010
Zinc	1340	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of San Bernardino Municipal Water Department	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 300 North D Street	Address: PO Box 7027
City: San Bernardino State: Ca	City: Corona State: California
Facility Contact: Richard Casas Phone: (909) 384-5141	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.31	41	Monthly	Composite	EPA 6010
Cadmium	3.9	39	Monthly	Composite	EPA 6010
Copper	630	1500	Monthly	Composite	EPA 6010
Lead	65	300	Monthly	Composite	EPA 6010
Mercury	3.66	17	Monthly	Composite	EPA 7471
Nickel	27	420	Monthly	Composite	EPA 6010
Selenium	4.80	100	Monthly	Composite	EPA 6010
Zinc	1010	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: City of San Bernardino Municipal Water Department				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 300 North D Street				Address: PO Box 7027			
City: San Bernardino		State: Ca		City: Corona		State: California	
Facility Contact: Richard Casas		Phone: (909) 384-5141		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	08	01	TO	99	08	31

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.02	41	Monthly	Composite	EPA 6010
Cadmium	3.8	39	Monthly	Composite	EPA 6010
Copper	585	1500	Monthly	Composite	EPA 6010
Lead	62	300	Monthly	Composite	EPA 6010
Mercury	5.54	17	Monthly	Composite	EPA 7471
Nickel	23	420	Monthly	Composite	EPA 6010
Selenium	4.90	100	Monthly	Composite	EPA 6010
Zinc	957	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of San Bernardino Municipal Water Department	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 300 North D Street	Address: PO Box 7027
City: San Bernardino State: Ca	City: Corona State: California
Facility Contact: Richard Casas Phone: (909) 384-5141	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	09	01		99	09	30

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.54	41	Monthly	Composite	EPA 6010
Cadmium	4.0	39	Monthly	Composite	EPA 6010
Copper	625	1500	Monthly	Composite	EPA 6010
Lead	67	300	Monthly	Composite	EPA 6010
Mercury	3.10	17	Monthly	Composite	EPA 7471
Nickel	26	420	Monthly	Composite	EPA 6010
Selenium	3.67	100	Monthly	Composite	EPA 6010
Zinc	1020	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: City of San Bernardino Municipal Water Department				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 300 North D Street				Address: PO Box 7027			
City: San Bernardino		State: Ca		City: Corona		State: California	
Facility Contact: Richard Casas		Phone: (909) 384-5141		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	10	01		99	10	31

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	6.14	41	Monthly	Composite	EPA 6010
Cadmium	10.3	39	Monthly	Composite	EPA 6010
Copper	768	1500	Monthly	Composite	EPA 6010
Lead	74	300	Monthly	Composite	EPA 6010
Mercury	2.96	17	Monthly	Composite	EPA 7471
Nickel	71	420	Monthly	Composite	EPA 6010
Selenium	5.67	100	Monthly	Composite	EPA 6010
Zinc	1070	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of San Bernardino Municipal Water Department Address: 300 North D Street City: San Bernardino State: Ca Facility Contact: Richard Casas Phone: (909) 384-5141	Facility Owner's Name: Synagro/Pima Gro Systems, Inc. Address: PO Box 7027 City: Corona State: California Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	11	01		99	11	30

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.50	41	Monthly	Composite	EPA 6010
Cadmium	3.9	39	Monthly	Composite	EPA 6010
Copper	569	1500	Monthly	Composite	EPA 6010
Lead	58	300	Monthly	Composite	EPA 6010
Mercury	3.44	17	Monthly	Composite	EPA 7471
Nickel	21	420	Monthly	Composite	EPA 6010
Selenium	6.60	100	Monthly	Composite	EPA 6010
Zinc	857	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: City of San Bernardino Municipal Water Department	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 300 North D Street	Address: PO Box 7027
City: San Bernardino State: Ca	City: Corona State: California
Facility Contact: Richard Casas Phone: (909) 384-5141	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.71	41	Monthly	Composite	EPA 6010
Cadmium	3.6	39	Monthly	Composite	EPA 6010
Copper	505	1500	Monthly	Composite	EPA 6010
Lead	60	300	Monthly	Composite	EPA 6010
Mercury	3.09	17	Monthly	Composite	EPA 7471
Nickel	19	420	Monthly	Composite	EPA 6010
Selenium	4.91	100	Monthly	Composite	EPA 6010
Zinc	737	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

San Elijo Joint Power Authority

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
1-Jan-99	1-Jan-99	SEJP	RDB-4	24.08	19.24%	4.63	1
7-Jan-99	9-Jan-99	SEJP	RDB-2	49.57	19.24%	9.54	2
12-Jan-99	14-Jan-99	SEJP	RDB-3	48.02	19.24%	9.24	2
19-Jan-99	20-Jan-99	SEJP	RGF-1	48.77	19.24%	9.38	2
25-Jan-99	27-Jan-99	SEJP	RDB-5	47.59	19.24%	9.16	2
2-Feb-99	19-Feb-99	SEJP	RDF-7	48.35	18.06%	8.73	2
8-Feb-99	15-Feb-99	SEJP	RDF-8	97.73	18.06%	17.65	4
24-Feb-99	24-Feb-99	SEJP	RDF-3	24.38	18.06%	4.40	1
25-Feb-99	26-Feb-99	SEJP	RCM-1	46.79	18.06%	8.45	2
2-Mar-99	19-Mar-99	SEJP	RCM-1	141.48	17.68%	25.01	6
23-Mar-99	31-Mar-99	SEJP	RDB-6	61.70	17.68%	10.91	3
2-Apr-99	6-Apr-99	SEJP	RDB-7W	46.22	12.29%	5.68	2
8-Apr-99	16-Apr-99	SEJP	RGR-1	46.78	12.29%	5.75	2
14-Apr-99	14-Apr-99	SEJP	RGR-2	23.76	12.29%	2.92	1
20-Apr-99	22-Apr-99	SEJP	RDB-12	47.88	12.29%	5.88	2
27-Apr-99	27-Apr-99	SEJP	RDB-11	23.61	12.29%	2.90	1
29-Apr-99	29-Apr-99	SEJP	RDB-7E	25.33	12.29%	3.11	1
4-May-99	4-May-99	SEJP	RDB-7E	24.26	18.75%	4.55	1
6-May-99	20-May-99	SEJP	RDB-16	116.43	18.75%	21.83	5
26-May-99	27-May-99	SEJP	RDB-17W	45.31	18.75%	8.50	2
2-Jun-99	3-Jun-99	SEJP	RDB-17E	45.00	31.92%	14.36	2
8-Jun-99	8-Jun-99	SEJP	RGR-3	22.54	31.92%	7.19	1
10-Jun-99	14-Jun-99	SEJP	RDB-17C	43.21	31.92%	13.79	2
15-Jun-99	17-Jun-99	SEJP	RES-1	45.25	31.92%	14.44	2
23-Jun-99	25-Jun-99	SEJP	RDB-3	45.46	31.92%	14.51	2
29-Jun-99	29-Jun-99	SEJP	RDF-9	22.66	31.92%	7.23	1
1-Jul-99	1-Jul-99	SEJP	RDF-9	22.32	19.72%	4.40	1
6-Jul-99	9-Jul-99	SEJP	RRM 1-4	44.62	19.72%	8.80	2
14-Jul-99	14-Jul-99	SEJP	RDB-16B	22.21	19.72%	4.38	1
16-Jul-99	16-Jul-99	SEJP	RDB-16C	22.44	19.72%	4.43	1
20-Jul-99	23-Jul-99	SEJP	RDB-13	66.53	19.72%	13.12	3
27-Jul-99	27-Jul-99	SEJP	RDF-6	45.04	19.72%	8.88	2
3-Aug-99	3-Aug-99	SEJP	RDB-5	22.03	18.90%	4.16	1
5-Aug-99	5-Aug-99	SEJP	RDB-22	22.60	18.90%	4.27	1
10-Aug-99	10-Aug-99	SEJP	RDB-10	23.16	18.90%	4.38	1
12-Aug-99	12-Aug-99	SEJP	RJW-1	22.64	18.90%	4.28	1
17-Aug-99	19-Aug-99	SEJP	HURD-1	45.24	18.90%	8.55	2
24-Aug-99	24-Aug-99	SEJP	RDF-8NE	21.82	18.90%	4.12	1
26-Aug-99	31-Aug-99	SEJP	RDF-4	44.61	18.90%	8.43	2
2-Sep-99	2-Sep-99	SEJP	RDF-3N	22.72	18.78%	4.27	1
7-Sep-99	9-Sep-99	SEJP	RDB-24	45.15	18.78%	8.48	2
14-Sep-99	14-Sep-99	SEJP	RDB-25	22.66	18.78%	4.26	1

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
16-Sep-99	16-Sep-99	SEJP	RDB-23	22.90	18.78%	4.30	1
21-Sep-99	23-Sep-99	SEJP	RDB-26	45.09	18.78%	8.47	2
28-Sep-99	30-Sep-99	SEJP	RGF	45.14	18.78%	8.48	2
6-Oct-99	6-Oct-99	SEJP	RDB-27	22.40	18.54%	4.15	1
9-Oct-99	9-Oct-99	SEJP	RCH-1	22.57	18.54%	4.18	1
12-Oct-99	12-Oct-99	SEJP	RFL-1	22.71	18.54%	4.21	1
14-Oct-99	19-Oct-99	SEJP	RCM-1	45.61	18.54%	8.46	2
21-Oct-99	28-Oct-99	SEJP	RDB-23	66.27	18.54%	12.29	3
2-Nov-99	4-Nov-99	SEJP	RDF-7SE	45.36	19.25%	8.73	2
9-Nov-99	11-Nov-99	SEJP	RDF-8NW	44.97	19.25%	8.66	2
16-Nov-99	16-Nov-99	SEJP	RRS-1	22.59	19.25%	4.35	1
18-Nov-99	18-Nov-99	SEJP	RRS-2	22.46	19.25%	4.32	1
23-Nov-99	24-Nov-99	SEJP	RDB-21	45.31	19.25%	8.72	2
30-Nov-99	30-Nov-99	SEJP	RDB-1	22.91	19.25%	4.41	1
2-Dec-99	2-Dec-99	SEJP	RDB-1	22.60	18.87%	4.26	1
7-Dec-99	7-Dec-99	SEJP	RDB-14	22.19	18.87%	4.19	1
10-Dec-99	10-Dec-99	SEJP	RDB-18	23.77	18.87%	4.49	1
15-Dec-99	21-Dec-99	SEJP	RJR-1	67.29	18.87%	12.70	3
21-Dec-99	21-Dec-99	SEJP	RRB-1	22.40	18.87%	4.23	1
28-Dec-99	30-Dec-99	SEJP	RDB-29	45.96	18.87%	8.67	2

TOTAL

2,478

481

108

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	01	01		99	01	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.59	41	Monthly	Composite	EPA 6010
Cadmium	2.0	39	Monthly	Composite	EPA 6010
Copper	543	1500	Monthly	Composite	EPA 6010
Lead	42	300	Monthly	Composite	EPA 6010
Mercury	4.41	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	8.09	100	Monthly	Composite	EPA 6010
Zinc	693	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	02	01		99	02	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.77	41	Monthly	Composite	EPA 6010
Cadmium	1.8	39	Monthly	Composite	EPA 6010
Copper	486	1500	Monthly	Composite	EPA 6010
Lead	40	300	Monthly	Composite	EPA 6010
Mercury	4.44	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	9.35	100	Monthly	Composite	EPA 6010
Zinc	668	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	03	01		99	03	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.30	41	Monthly	Composite	EPA 6010
Cadmium	2.1	39	Monthly	Composite	EPA 6010
Copper	447	1500	Monthly	Composite	EPA 6010
Lead	36	300	Monthly	Composite	EPA 6010
Mercury	4.77	17	Monthly	Composite	EPA 7471
Nickel	23	420	Monthly	Composite	EPA 6010
Selenium	12.94	100	Monthly	Composite	EPA 6010
Zinc	566	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		99	04	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.27	41	Monthly	Composite	EPA 6010
Cadmium	3.6	39	Monthly	Composite	EPA 6010
Copper	533	1500	Monthly	Composite	EPA 6010
Lead	36	300	Monthly	Composite	EPA 6010
Mercury	2.21	17	Monthly	Composite	EPA 7471
Nickel	25	420	Monthly	Composite	EPA 6010
Selenium	5.13	100	Monthly	Composite	EPA 6010
Zinc	880	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: San Elijo Joint Power Authority				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 1295 Palmar Oaks Way, Ste 300				Address: PO Box 7027			
City: Carlsbad		State: Ca		City: Corona		State: California	
Facility Contact: Gary Masters		Phone: (760) 753-0352		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	05	01		99	05	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.13	41	Monthly	Composite	EPA 6010
Cadmium	2.8	39	Monthly	Composite	EPA 6010
Copper	508	1500	Monthly	Composite	EPA 6010
Lead	46	300	Monthly	Composite	EPA 6010
Mercury	3.34	17	Monthly	Composite	EPA 7471
Nickel	28	420	Monthly	Composite	EPA 6010
Selenium	8.56	100	Monthly	Composite	EPA 6010
Zinc	655	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/4/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: San Elijo Joint Power Authority				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 1295 Palmar Oaks Way, Ste 300				Address: PO Box 7027			
City: Carlsbad		State: Ca		City: Corona		State: California	
Facility Contact: Gary Masters		Phone: (760) 753-0352		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	06	01	TO	99	06	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.01	41	Monthly	Composite	EPA 6010
Cadmium	2.7	39	Monthly	Composite	EPA 6010
Copper	310	1500	Monthly	Composite	EPA 6010
Lead	28	300	Monthly	Composite	EPA 6010
Mercury	1.23	17	Monthly	Composite	EPA 7471
Nickel	26	420	Monthly	Composite	EPA 6010
Selenium	4.75	100	Monthly	Composite	EPA 6010
Zinc	467	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature:	Date Signed: 4/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.42	41	Monthly	Composite	EPA 6010
Cadmium	3.2	39	Monthly	Composite	EPA 6010
Copper	576	1500	Monthly	Composite	EPA 6010
Lead	41	300	Monthly	Composite	EPA 6010
Mercury	3.38	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	8.42	100	Monthly	Composite	EPA 6010
Zinc	737	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/02

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: San Elijo Joint Power Authority				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 1295 Palmar Oaks Way, Ste 300				Address: PO Box 7027			
City: Carlsbad		State: Ca		City: Corona		State: California	
Facility Contact: Gary Masters		Phone: (760) 753-0352		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	08	01	TO	99	08	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	0.8	41	Monthly	Composite	EPA 6010
Cadmium	3.3	39	Monthly	Composite	EPA 6010
Copper	543	1500	Monthly	Composite	EPA 6010
Lead	45	300	Monthly	Composite	EPA 6010
Mercury	3.61	17	Monthly	Composite	EPA 7471
Nickel	28	420	Monthly	Composite	EPA 6010
Selenium	9.47	100	Monthly	Composite	EPA 6010
Zinc	771	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	09	01		99	09	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.38	41	Monthly	Composite	EPA 6010
Cadmium	3.6	39	Monthly	Composite	EPA 6010
Copper	718	1500	Monthly	Composite	EPA 6010
Lead	58	300	Monthly	Composite	EPA 6010
Mercury	5.65	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	7.76	100	Monthly	Composite	EPA 6010
Zinc	757	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	10	01		99	10	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.57	41	Monthly	Composite	EPA 6010
Cadmium	3.7	39	Monthly	Composite	EPA 6010
Copper	718	1500	Monthly	Composite	EPA 6010
Lead	49	300	Monthly	Composite	EPA 6010
Mercury	4.76	17	Monthly	Composite	EPA 7471
Nickel	32	420	Monthly	Composite	EPA 6010
Selenium	9.84	100	Monthly	Composite	EPA 6010
Zinc	757	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	11	01		99	11	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.81	41	Monthly	Composite	EPA 6010
Cadmium	2.9	39	Monthly	Composite	EPA 6010
Copper	537	1500	Monthly	Composite	EPA 6010
Lead	45	300	Monthly	Composite	EPA 6010
Mercury	4.34	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	15.76	100	Monthly	Composite	EPA 6010
Zinc	667	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: San Elijo Joint Power Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 1295 Palmar Oaks Way, Ste 300	Address: PO Box 7027
City: Carlsbad State: Ca	City: Corona State: California
Facility Contact: Gary Masters Phone: (760) 753-0352	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.09	41	Monthly	Composite	EPA 6010
Cadmium	3.0	39	Monthly	Composite	EPA 6010
Copper	487	1500	Monthly	Composite	EPA 6010
Lead	44	300	Monthly	Composite	EPA 6010
Mercury	3.26	17	Monthly	Composite	EPA 7471
Nickel	24	420	Monthly	Composite	EPA 6010
Selenium	11.43	100	Monthly	Composite	EPA 6010
Zinc	618	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

South East Regional Reclamation Authority

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
6-Jan-99	6-Jan-99	SERRA	RDB-1	76.34	17.06%	13.02	3
7-Jan-99	9-Jan-99	SERRA	RDB-2	98.56	17.06%	16.81	4
13-Jan-99	15-Jan-99	SERRA	RDB-3	136.42	17.06%	23.27	6
18-Jan-99	22-Jan-99	SERRA	RGF-1	166.13	17.06%	28.34	7
29-Jan-99	29-Jan-99	SERRA	RDB-5	23.12	17.06%	3.94	1
1-Feb-99	19-Feb-99	SERRA	RDF-7	227.45	14.82%	33.71	10
10-Feb-99	14-Feb-99	SERRA	RDF-8	112.90	14.82%	16.73	5
5-Mar-99	18-Mar-99	SERRA	RCM-1	268.01	20.99%	56.26	12
22-Mar-99	31-Mar-99	SERRA	RDB-6	247.13	20.99%	51.87	11
1-Apr-99	17-Apr-99	SERRA	RDB-7W	203.64	24.86%	50.62	9
16-Apr-99	16-Apr-99	SERRA	RGR-2	20.21	24.86%	5.02	1
19-Apr-99	19-Apr-99	SERRA	RDB-6	21.08	24.86%	5.24	1
20-Apr-99	22-Apr-99	SERRA	RDB-12	87.38	24.86%	21.72	4
29-Apr-99	29-Apr-99	SERRA	RDB-7E	23.52	24.86%	5.85	1
29-Apr-99	29-Apr-99	SERRA	RDB-11	20.89	24.86%	5.19	1
3-May-99	3-May-99	SERRA	RDB-7E	50.45	15.02%	7.58	2
11-May-99	20-May-99	SERRA	RDB-16	360.61	15.02%	54.16	15
24-May-99	28-May-99	SERRA	RDB-17W	209.01	15.02%	31.39	9
1-Jun-99	1-Jun-99	SERRA	RDB-17W	23.55	17.45%	4.11	1
2-Jun-99	4-Jun-99	SERRA	RDB-17E	120.28	17.45%	20.99	5
8-Jun-99	8-Jun-99	SERRA	RGR-3	47.86	17.45%	8.35	2
19-Jun-99	19-Jun-99	SERRA	RES-1	24.70	17.45%	4.31	1
25-Jun-99	25-Jun-99	SERRA	RDB-3	22.68	17.45%	3.96	1
14-Jul-99	15-Jul-99	SERRA	RDB-16B	91.84	16.32%	14.99	4
16-Jul-99	16-Jul-99	SERRA	RDB-16C	45.97	16.32%	7.50	2
17-Jul-99	24-Jul-99	SERRA	RDB-13	237.20	16.32%	38.71	10
26-Jul-99	27-Jul-99	SERRA	RDF-6	188.84	16.32%	30.82	8
2-Aug-99	4-Aug-99	SERRA	RDB-5	89.61	15.39%	13.79	4
7-Aug-99	9-Aug-99	SERRA	RDB-22	69.68	15.39%	10.72	3
10-Aug-99	10-Aug-99	SERRA	RDB-10	23.72	15.39%	3.65	1
18-Aug-99	18-Aug-99	SERRA	HURD-1	25.47	15.39%	3.92	1
23-Aug-99	23-Aug-99	SERRA	RDF-8NE	44.02	15.39%	6.77	2
25-Aug-99	31-Aug-99	SERRA	RDF-4	181.74	15.39%	27.97	8
1-Sep-99	1-Sep-99	SERRA	RDF-4	24.69	18.77%	4.63	1
1-Sep-99	2-Sep-99	SERRA	RDF-3N	46.09	18.77%	8.65	2
3-Sep-99	6-Sep-99	SERRA	RDF-7NE	84.46	18.77%	15.85	4
7-Sep-99	10-Sep-99	SERRA	RDB-24	165.97	18.77%	31.15	7
16-Sep-99	15-Sep-99	SERRA	RDB-25	142.17	18.77%	26.69	6
16-Sep-99	16-Sep-99	SERRA	RDB-23	22.16	18.77%	4.16	1
23-Sep-99	28-Sep-99	SERRA	RDB-26	153.40	18.77%	28.79	7
28-Sep-99	30-Sep-99	SERRA	RGF	120.45	18.77%	22.61	5
1-Oct-99	2-Oct-99	SERRA	RGF	67.37	17.27%	11.63	3

(2nd +)

2nd +

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	01	01		99	01	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.79	41	Monthly	Composite	EPA 6010
Cadmium	1.0	39	Monthly	Composite	EPA 6010
Copper	403	1500	Monthly	Composite	EPA 6010
Lead	31	300	Monthly	Composite	EPA 6010
Mercury	3.60	17	Monthly	Composite	EPA 7471
Nickel	25	420	Monthly	Composite	EPA 6010
Selenium	17.12	100	Monthly	Composite	EPA 6010
Zinc	589	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	02	01		99	02	28

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.47	41	Monthly	Composite	EPA 6010
Cadmium	5.4	39	Monthly	Composite	EPA 6010
Copper	312	1500	Monthly	Composite	EPA 6010
Lead	48	300	Monthly	Composite	EPA 6010
Mercury	2.65	17	Monthly	Composite	EPA 7471
Nickel	28	420	Monthly	Composite	EPA 6010
Selenium	7.28	100	Monthly	Composite	EPA 6010
Zinc	625	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	03	01		99	03	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.92	41	Monthly	Composite	EPA 6010
Cadmium	4.9	39	Monthly	Composite	EPA 6010
Copper	306	1500	Monthly	Composite	EPA 6010
Lead	51	300	Monthly	Composite	EPA 6010
Mercury	2.86	17	Monthly	Composite	EPA 7471
Nickel	27	420	Monthly	Composite	EPA 6010
Selenium	9.18	100	Monthly	Composite	EPA 6010
Zinc	553	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	04	01		99	04	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.55	41	Monthly	Composite	EPA 6010
Cadmium	21.2	39	Monthly	Composite	EPA 6010
Copper	934	1500	Monthly	Composite	EPA 6010
Lead	86	300	Monthly	Composite	EPA 6010
Mercury	4.72	17	Monthly	Composite	EPA 7471
Nickel	72	420	Monthly	Composite	EPA 6010
Selenium	7.29	100	Monthly	Composite	EPA 6010
Zinc	1140	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	05	01		99	05	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.49	41	Monthly	Composite	EPA 6010
Cadmium	6.2	39	Monthly	Composite	EPA 6010
Copper	398	1500	Monthly	Composite	EPA 6010
Lead	55	300	Monthly	Composite	EPA 6010
Mercury	2.10	17	Monthly	Composite	EPA 7471
Nickel	32	420	Monthly	Composite	EPA 6010
Selenium	7.25	100	Monthly	Composite	EPA 6010
Zinc	695	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	06	01		99	06	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.48	41	Monthly	Composite	EPA 6010
Cadmium	4.4	39	Monthly	Composite	EPA 6010
Copper	496	1500	Monthly	Composite	EPA 6010
Lead	76	300	Monthly	Composite	EPA 6010
Mercury	2.62	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	10.51	100	Monthly	Composite	EPA 6010
Zinc	1110	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.94	41	Monthly	Composite	EPA 6010
Cadmium	6.5	39	Monthly	Composite	EPA 6010
Copper	414	1500	Monthly	Composite	EPA 6010
Lead	70	300	Monthly	Composite	EPA 6010
Mercury	1.86	17	Monthly	Composite	EPA 7471
Nickel	43	420	Monthly	Composite	EPA 6010
Selenium	5.99	100	Monthly	Composite	EPA 6010
Zinc	713	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	08	01		99	08	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	1.21	41	Monthly	Composite	EPA 6010
Cadmium	1.9	39	Monthly	Composite	EPA 6010
Copper	492	1500	Monthly	Composite	EPA 6010
Lead	41	300	Monthly	Composite	EPA 6010
Mercury	2.24	17	Monthly	Composite	EPA 7471
Nickel	26	420	Monthly	Composite	EPA 6010
Selenium	7.29	100	Monthly	Composite	EPA 6010
Zinc	747	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Director

Phone Number: (909) 277-2662

Signature: 

Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	09	01		99	09	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.09	41	Monthly	Composite	EPA 6010
Cadmium	6.0	39	Monthly	Composite	EPA 6010
Copper	358	1500	Monthly	Composite	EPA 6010
Lead	56	300	Monthly	Composite	EPA 6010
Mercury	2.31	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	6.63	100	Monthly	Composite	EPA 6010
Zinc	690	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	10	01		99	10	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.31	41	Monthly	Composite	EPA 6010
Cadmium	5.9	39	Monthly	Composite	EPA 6010
Copper	323	1500	Monthly	Composite	EPA 6010
Lead	63	300	Monthly	Composite	EPA 6010
Mercury	2.01	17	Monthly	Composite	EPA 7471
Nickel	35	420	Monthly	Composite	EPA 6010
Selenium	7.16	100	Monthly	Composite	EPA 6010
Zinc	639	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	11	01		99	11	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.42	41	Monthly	Composite	EPA 6010
Cadmium	5.2	39	Monthly	Composite	EPA 6010
Copper	327	1500	Monthly	Composite	EPA 6010
Lead	63	300	Monthly	Composite	EPA 6010
Mercury	1.83	17	Monthly	Composite	EPA 7471
Nickel	30	420	Monthly	Composite	EPA 6010
Selenium	9.67	100	Monthly	Composite	EPA 6010
Zinc	617	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark A. Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: South East Regional Reclamation Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 3415 Del Obispo	Address: PO Box 7027
City: Dana Point State: Ca	City: Corona State: California
Facility Contact: Tom Rosales Phone: (949) 489-7735	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.92	41	Monthly	Composite	EPA 6010
Cadmium	4.8	39	Monthly	Composite	EPA 6010
Copper	295	1500	Monthly	Composite	EPA 6010
Lead	151	300	Monthly	Composite	EPA 6010
Mercury	1.62	17	Monthly	Composite	EPA 7471
Nickel	27	420	Monthly	Composite	EPA 6010
Selenium	7.36	100	Monthly	Composite	EPA 6010
Zinc	579	2800	Monthly	Composite	EPA 6010

<p>CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.</p>	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

Western Riverside County Regional Wastewater Authority

Synagro/Pima Gro Systems, Inc.
Biosolids Land Application Site Summary
January - December 1999

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
2-Jan-99	2-Jan-99	WRIV	RDB-4	39.12	18.73%	7.33	2
4-Jan-99	15-Jan-99	WRIV	RDB-3	166.16	18.73%	31.12	8
5-Jan-99	9-Jan-99	WRIV	RDB-1	175.99	18.73%	32.96	8
18-Jan-99	26-Jan-99	WRIV	RGF-1	124.96	18.73%	23.41	8
27-Jan-99	30-Jan-99	WRIV	RDB-5	60.42	18.73%	11.32	4
1-Feb-99	20-Feb-99	WRIV	RDF-7	143.59	18.73%	26.89	7
8-Feb-99	17-Feb-99	WRIV	RDF-8	238.12	18.73%	44.60	11
22-Feb-99	23-Feb-99	WRIV	RDF-3	56.67	18.73%	10.61	2
26-Feb-99	23-Feb-99	WRIV	RCM-1	88.02	18.73%	16.49	3
15-Mar-99	3-Mar-99	WRIV	RCM-1	630.70	18.73%	118.13	27
19-Mar-99	19-Mar-99	WRIV	RDB-6	22.48	18.73%	4.21	1
29-Mar-99	31-Mar-99	WRIV	Recyc	77.29	18.73%	14.48	4
28-Jun-99	30-Jun-99	WRIV	RDF-9	88.98	18.73%	16.67	4
1-Jul-99	1-Jul-99	WRIV	RDF-9	24.73	20.78%	5.14	1
2-Jul-99	2-Jul-99	WRIV	RDF-10	38.61	20.78%	8.02	2
6-Jul-99	12-Jul-99	WRIV	RRM 1-4	96.41	20.78%	20.03	5
13-Jul-99	15-Jul-99	WRIV	RDB-16B	63.45	20.78%	13.18	3
16-Jul-99	16-Jul-99	WRIV	RDB-16C	32.40	20.78%	6.73	2
19-Jul-99	23-Jul-99	WRIV	RDB-13	120.76	20.78%	25.09	6
24-Jul-99	25-Jul-99	WRIV	RDF-5	43.22	20.78%	8.98	2
26-Jul-99	26-Jul-99	WRIV	RDF-6	72.88	20.78%	15.14	3
2-Aug-99	4-Aug-99	WRIV	RDB-5	77.20	20.06%	15.49	4
5-Aug-99	7-Aug-99	WRIV	RDB-22	53.09	20.06%	10.65	3
10-Aug-99	10-Aug-99	WRIV	RDB-10	16.81	20.06%	3.37	1
12-Aug-99	12-Aug-99	WRIV	RJW-1	39.41	20.06%	7.91	2
13-Aug-99	13-Aug-99	WRIV	RJW-3	19.99	20.06%	4.01	1
16-Aug-99	19-Aug-99	WRIV	HURD-1	86.05	20.06%	17.26	5
23-Aug-99	23-Aug-99	WRIV	RDF-8NE	15.70	20.06%	3.15	1
24-Aug-99	30-Aug-99	WRIV	RDF-4	76.95	20.06%	15.44	5
1-Sep-99	3-Sep-99	WRIV	RDF-4	43.39	14.75%	6.40	3
2-Sep-99	2-Sep-99	WRIV	RDF-3N	15.01	14.75%	2.21	1
4-Sep-99	4-Sep-99	WRIV	RDF-7NE	29.86	14.75%	4.40	2
7-Sep-99	10-Sep-99	WRIV	RDB-24	49.72	14.75%	7.33	3
13-Sep-99	15-Sep-99	WRIV	RDB-25	40.37	14.75%	5.95	3
16-Sep-99	16-Sep-99	WRIV	RDB-23	9.85	14.75%	1.45	1
17-Sep-99	28-Sep-99	WRIV	RDB-26	121.54	14.75%	17.93	6
29-Sep-99	30-Sep-99	WRIV	RGF	40.70	14.75%	6.00	2
1-Oct-99	1-Oct-99	WRIV	RGF	41.44	18.79%	7.79	2
5-Oct-99	7-Oct-99	WRIV	RDB-27	53.26	18.79%	10.01	3
8-Oct-99	11-Oct-99	WRIV	RCH-1	46.76	18.79%	8.79	3
12-Oct-99	13-Oct-99	WRIV	RFL-1	31.94	18.79%	6.00	2
14-Oct-99	19-Oct-99	WRIV	RCM-1	57.36	18.79%	10.78	3
20-Oct-99	28-Oct-99	WRIV	RDB-23	159.06	18.79%	29.89	8
29-Oct-99	29-Oct-99	WRIV	RDB-16	17.59	18.79%	3.31	1

Start Date	End Date	Site	Source	Total Wet Tons	% Solids	Total Dry Tons	# of Loads
1-Nov-99	2-Nov-99	WRIV	RDB-15	42.13	15.50%	6.53	2
3-Nov-99	3-Nov-99	WRIV	RDB-2	18.60	15.50%	2.88	1
4-Nov-99	6-Nov-99	WRIV	RDF-7SE	60.73	15.50%	9.41	3
9-Nov-99	11-Nov-99	WRIV	RDF-8NW	52.01	15.50%	8.06	3
16-Nov-99	19-Nov-99	WRIV	RRS-1	32.90	15.50%	5.10	2
17-Nov-99	17-Nov-99	WRIV	RRS-3	12.84	15.50%	1.99	1
18-Nov-99	18-Nov-99	WRIV	RRS-2	15.97	15.50%	2.48	1
20-Nov-99	24-Nov-99	WRIV	RDB-21	48.59	15.50%	7.53	3
27-Nov-99	27-Nov-99	WRIV	RDB-1	20.42	15.50%	3.17	1
1-Dec-99	2-Dec-99	WRIV	RDB-1	32.80	15.77%	5.17	2
3-Dec-99	7-Dec-99	WRIV	RDB-14	37.86	15.77%	5.97	2
11-Dec-99	11-Dec-99	WRIV	RDB-18	19.55	15.77%	3.08	1
16-Dec-99	18-Dec-99	WRIV	RJR-1	36.27	15.77%	5.72	2
24-Dec-99	24-Dec-99	WRIV	RRB-1	26.86	15.77%	4.24	1
29-Dec-99	31-Dec-99	WRIV	RDB-29	43.40	15.77%	6.84	2

TOTAL

4,049

744

205

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Western Riverside County Regional Wastewater Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 14634 River Road	Address: PO Box 7027
City: Riverside State: Ca	City: Corona State: California
Facility Contact: John Gallegos Phone: (909) 739-6225	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	02	01	TO	99	02	28

NPDES PERMIT NUMBER
Not Applicable


SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.9	41	Monthly	Composite	EPA 6010
Cadmium	2	39	Monthly	Composite	EPA 6010
Copper	533	1500	Monthly	Composite	EPA 6010
Lead	47	300	Monthly	Composite	EPA 6010
Mercury	2.41	17	Monthly	Composite	EPA 7471
Nickel	22	420	Monthly	Composite	EPA 6010
Selenium	9.4	100	Monthly	Composite	EPA 6010
Zinc	617	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Director

Phone Number: (909) 277-2662

Signature: 

Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Western Riverside County Regional Wastewater Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 14634 River Road	Address: PO Box 7027
City: Riverside State: Ca	City: Corona State: California
Facility Contact: John Gallegos Phone: (909) 739-6225	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day		Year	Month	Day
99	03	01	TO	99	03	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time


Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	5.86	41	Monthly	Composite	EPA 6010
Cadmium	1.5	39	Monthly	Composite	EPA 6010
Copper	491	1500	Monthly	Composite	EPA 6010
Lead	42	300	Monthly	Composite	EPA 6010
Mercury	2.37	17	Monthly	Composite	EPA 7471
Nickel	22	420	Monthly	Composite	EPA 6010
Selenium	7.65	100	Monthly	Composite	EPA 6010
Zinc	580	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Director

Phone Number: (909) 277-2662

Signature:



Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Western Riverside County Regional Wastewater Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 14634 River Road	Address: PO Box 7027
City: Riverside State: Ca	City: Corona State: California
Facility Contact: John Gallegos Phone: (909) 739-6225	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	07	01		99	07	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.02	41	Monthly	Composite	EPA 6010
Cadmium	3.3	39	Monthly	Composite	EPA 6010
Copper	619	1500	Monthly	Composite	EPA 6010
Lead	50	300	Monthly	Composite	EPA 6010
Mercury	1.78	17	Monthly	Composite	EPA 7471
Nickel	29	420	Monthly	Composite	EPA 6010
Selenium	8.83	100	Monthly	Composite	EPA 6010
Zinc	757	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Director

Phone Number: (909) 277-2662

Signature: 

Date Signed: 2/7/2000

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY				NAME AND ADDRESS OF FACILITY OWNER			
Facility Name: Western Riverside County Regional Wastewater Authority				Facility Owner's Name: Synagro/Pima Gro Systems, Inc.			
Address: 14634 River Road				Address: PO Box 7027			
City: Riverside		State: Ca		City: Corona		State: California	
Facility Contact: John Gallegos		Phone: (909) 739-6225		Phone: (909) 277-2662		Zip: 91718	

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	08	01		99	08	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	2.82	41	Monthly	Composite	EPA 6010
Cadmium	2.8	39	Monthly	Composite	EPA 6010
Copper	680	1500	Monthly	Composite	EPA 6010
Lead	69	300	Monthly	Composite	EPA 6010
Mercury	2.32	17	Monthly	Composite	EPA 7471
Nickel	31	420	Monthly	Composite	EPA 6010
Selenium	10.14	100	Monthly	Composite	EPA 6010
Zinc	886	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature:	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Western Riverside County Regional Wastewater Authority Address: 14634 River Road City: Riverside State: Ca Facility Contact: John Gallegos Phone: (909) 739-6225	Facility Owner's Name: Synagro/Pima Gro Systems, Inc. Address: PO Box 7027 City: Corona State: California Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	09	01		99	09	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.47	41	Monthly	Composite	EPA 6010
Cadmium	5.0	39	Monthly	Composite	EPA 6010
Copper	834	1500	Monthly	Composite	EPA 6010
Lead	62	300	Monthly	Composite	EPA 6010
Mercury	2.68	17	Monthly	Composite	EPA 7471
Nickel	43	420	Monthly	Composite	EPA 6010
Selenium	6.444	100	Monthly	Composite	EPA 6010
Zinc	900	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Western Riverside County Regional Wastewater Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 14634 River Road	Address: PO Box 7027
City: Riverside State: Ca	City: Corona State: California
Facility Contact: John Gallegos Phone: (909) 739-6225	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	10	01		99	10	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	4.84	41	Monthly	Composite	EPA 6010
Cadmium	3.6	39	Monthly	Composite	EPA 6010
Copper	708	1500	Monthly	Composite	EPA 6010
Lead	75	300	Monthly	Composite	EPA 6010
Mercury	2.17	17	Monthly	Composite	EPA 7471
Nickel	41	420	Monthly	Composite	EPA 6010
Selenium	6.13	100	Monthly	Composite	EPA 6010
Zinc	787	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: <i>Mark Grey</i>	Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT

NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Western Riverside County Regional Wastewater Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 14634 River Road	Address: PO Box 7027
City: Riverside State: Ca	City: Corona State: California
Facility Contact: John Gallegos Phone: (909) 739-6225	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	11	01		99	11	30

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.75	41	Monthly	Composite	EPA 6010
Cadmium	2.8	39	Monthly	Composite	EPA 6010
Copper	564	1500	Monthly	Composite	EPA 6010
Lead	53	300	Monthly	Composite	EPA 6010
Mercury	2.09	17	Monthly	Composite	EPA 7471
Nickel	32	420	Monthly	Composite	EPA 6010
Selenium	9.45	100	Monthly	Composite	EPA 6010
Zinc	684	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Name and Official Title: Mark A. Grey, Regional Technical Services Director

Phone Number: (909) 277-2662

Signature: 

Date Signed: 2/7/00

40 CFR 503 LAND APPLICATION POLLUTANT REPORT


NAME AND ADDRESS OF FACILITY	NAME AND ADDRESS OF FACILITY OWNER
Facility Name: Western Riverside County Regional Wastewater Authority	Facility Owner's Name: Synagro/Pima Gro Systems, Inc.
Address: 14634 River Road	Address: PO Box 7027
City: Riverside State: Ca	City: Corona State: California
Facility Contact: John Gallegos Phone: (909) 739-6225	Phone: (909) 277-2662 Zip: 91718

MONITORING PERIOD						
Year	Month	Day	TO	Year	Month	Day
99	12	01		99	12	31

NPDES PERMIT NUMBER
Not Applicable

SLUDGE PERMIT NUMBER
Not Applicable at this time

Source:					
Metal	Metal Concentration(mg/Kg Dry Weight basis)		Frequency of Analysis	Sample Type (Grab or Composite)	Analytical Method
	Concentration	Regulatory Limit (Table 3)			
Arsenic	3.16	41	Monthly	Composite	EPA 6010
Cadmium	3.4	39	Monthly	Composite	EPA 6010
Copper	600	1500	Monthly	Composite	EPA 6010
Lead	61	300	Monthly	Composite	EPA 6010
Mercury	1.99	17	Monthly	Composite	EPA 7471
Nickel	32	420	Monthly	Composite	EPA 6010
Selenium	6.24	100	Monthly	Composite	EPA 6010
Zinc	748	2800	Monthly	Composite	EPA 6010

CERTIFICATION: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information submitted, it is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information.	
Name and Official Title: Mark A. Grey, Regional Technical Services Director	Phone Number: (909) 277-2662
Signature: 	Date Signed: 2/7/00

Solano County